

Security solutions

E-Class NSA Series



Product	NSA E5500	NSA E6500	NSA E8500	NSA E8510
Part Numbers	01-SSC-7008 01-SSC-7029 TotalSecure	01-SSC-7004 01-SSC-7028 TotalSecure	01-SSC-8953 01-SSC-8867 High Availability Appliance	01-SSC-9770 01-SSC-9771 High Availability Appliance
Market Positioning and Specific Features	A high performance, multi-service network security platform engineered to be the work horse of the enterprise network environment with (8) eight gigabit interfaces. Includes: <ul style="list-style-type: none"> Multi-WAN Support ISP Failover and WAN Load Balancing Single Sign-On Route-based VPN 256 802.1q VLAN Interfaces Object/Group-based Policy Mgmt QoS/Bandwidth Management Stateful A/P High Availability Active/Active DPI 	Engineered to meet the needs of the expanding network by providing a high performance, scalable, multi-function threat prevention appliance. Includes: <ul style="list-style-type: none"> Multi-WAN Support ISP Failover and WAN Load Balancing Single Sign-On Route-based VPN 256 802.1q VLAN Interfaces Object/Group-based Policy Mgmt QoS/Bandwidth Management Stateful A/P High Availability Active/Active DPI 	The SonicWALL E-Class NSA E8500 is a Next-Generation Firewall delivering robust Application Intelligence and Control for real-time visualization and awareness. Includes: <ul style="list-style-type: none"> Application Intelligence and Control 16-Core Processor Unrestricted Nodes 2,000 VPN Client Licenses 512 802.1q VLAN Interfaces Object/Group-based Policy Mgmt QoS/Bandwidth Management Stateful A/P High Availability Active/Active DPI Server Load Balancing 	The SonicWALL E-Class NSA E8510 is a premier enterprise Next-Generation Firewall delivering integrated Application Intelligence and Control and real-time situational visualization and awareness. Includes: <ul style="list-style-type: none"> Application Intelligence and Control 16-Core Processor Unrestricted Nodes 2,000 VPN Client Licenses 512 802.1q VLAN Interfaces Object/Group-based Policy Mgmt QoS/Bandwidth Management Stateful A/P High Availability Active/Active DPI Server Load Balancing
Bundled Services	<ul style="list-style-type: none"> 30 Days GAV, Anti-Spyware, IPS and Application Int/Control/Visualization 30 Days Analyzer Reporting Software 30 Days CFS Premium 30 Days 25-user Client/Server AV Ste 30 Days Deep Packet Inspection SSL 	<ul style="list-style-type: none"> 30 Days GAV, Anti-Spyware, IPS and Application Int/Control/Visualization 30 Days Analyzer Reporting Software 30 Days CFS Premium 30 Days 25-user Client/Server AV Ste 30 Days Deep Packet Inspection SSL 	<ul style="list-style-type: none"> 30 Days GAV, Anti-Spyware, IPS and Application Int/Control/Visualization 30 Days Analyzer Reporting Software 30 Days CFS Premium 30 Days 50-user Client/Server AV Ste 30 Days Deep Packet Inspection SSL 	<ul style="list-style-type: none"> 30 Days GAV, Anti-Spyware, IPS and Application Int/Control/Visualization 30 Days Analyzer Reporting Software 30 Days CFS Premium 30 Days 50-user Client/Server AV Ste 30 Days Deep Packet Inspection SSL
General Features Across all NSA Appliances	<ul style="list-style-type: none"> Deep Packet Inspection Firewall Clean VPN Dynamic Routing OSPF/RIP IPSec 3DES/AES Encryption Voice and Video over IP Route-based VPN DHCP Server/DHCP Relay Policy-based User Authentication Active/Active DPI Bandwidth Management/QoS 			
Specifications	Unrestricted 8 GbE, 1GbE HA Interface, 2 USB, 1 Console 3.9 Gbps 1.0 Gbps 2.0 Gbps 850 Mbps 1.7 Gbps (3DES/AES) 4,000 2,000 Bundled/4,000 Max 1 Bundled/25 Max 750,000 (Max) 15,000 Must be purchased with appliance	Unrestricted 8 GbE, 1GbE HA Interface, 2 USB, 1 Console 5.0 Gbps 1.69 Gbps 2.3 Gbps 1.59 Gbps 2.7 Gbps (3DES/AES) 6,000 2,000 Bundled/6,000 Max 1 Bundled/25 Max 1,000,000 (Max) 20,000 Must be purchased with appliance	Unrestricted 4 GbE, 4 SFP (SX/LX /TX), 1 GbE HA Interface, 2 USB, 1 Console 8.0 Gbps 2.25 Gbps 3.7 Gbps 2.2 Gbps 4.0 Gbps (3DES/AES) 10,000 2,000 Bundled/10,000 Max 1 Bundled/25 Max 1,500,000 (Max) 80,000 Must be purchased with appliance	Unrestricted 2 SFP+ 10 GbE, 4 GbE, 1 GbE HA Interface, 2 USB, 1 Console 8.0 Gbps 2.25 Gbps 3.7 Gbps 2.2 Gbps 4.0 Gbps (3DES/AES) 10,000 2,000 Bundled/10,000 Max 1 Bundled/25 Max 1,500,000 (Max) 80,000 Must be purchased with appliance
General Upgrade Options Across all NSA Appliances	<ul style="list-style-type: none"> Gateway Anti-Virus, Anti-Spyware, Intrusion Prevention Service and Application Int Control and Visualization Comprehensive Gateway Security Ste Comprehensive Anti-Spam Service Deep Packet Inspection SSL Client/Server Anti-Virus Suite Content Filtering Service Secure Virtual Assist Global Management System Analyzer Reporting Software Scrutinizer Mobile Connect SSL VPN iOS/Android Global VPN Client E-Class Support 24x7 			
Key Selling Points	<ul style="list-style-type: none"> Breakthrough multi-core Unified Threat Management performance Ultra high-speed multi-layer threat protection Next-generation protection with Application Intelligence, Control and Visualization Unsurpassed business continuity and high availability protection Extensible and modular architecture Deployment scalability and flexibility Continually updatable platform 			

SonicWALL Security Services for E-Class NSA Products

Product		Part Numbers	Description
Comprehensive Gateway Security Suite		For NSA E5500 (2 Years/3 Years) 01-SSC-9229/01-SSC-9236 For NSA E6500 (2 Years/3 Years) 01-SSC-9228/01-SSC-9235 For NSA E7500 (1 Year) 01-SSC-9220 For NSA E8500 (2 Years/3 Years) 01-SSC-8951/01-SSC-8952 For NSA E8510 (2 Years/3 Years) 01-SSC-9275/01-SSC-9276 <i>Note: TotalSecure solutions ship with one year of CGSS included</i>	SonicWALL Comprehensive Gateway Security Suite (CGSS) combines E-Class security, productivity and support in a single solution. Available on all E-Class NSA Series appliances, it is the perfect solution for turning your customers' SonicWALLs into total security and productivity platforms. The Comprehensive Gateway Security Suite is available in one, two and three-year subscriptions that include the following: <ul style="list-style-type: none"> • Gateway Anti-Virus, Anti-Spyware and Intrusion Prevention Service and Application Intelligence/Control • Content Filtering Service Premium Edition • E-Class Support 24x7
E-Class Support 24x7		E-Class Support 24x7 SKUs by product E-Class Support 24x7 available on E-Class solutions only Discounted two- and three-year contracts available Note: Support is required with all E-Class NSA appliances	For customers who need continued protection through ongoing firmware updates and advanced technical support, SonicWALL E-Class Support 24x7 delivers the support features and quality of service that organizations require to keep their networks running smoothly and efficiently. Includes: <ul style="list-style-type: none"> • Direct access to a team of highly-trained Senior Support Engineers • Annual subscription to software and firmware updates and upgrades • Advance Exchange hardware replacement in the event of failure • Annual subscription to SonicWALL Service Bulletins and access to electronic support tools
Gateway Anti-Virus, Anti-Spyware, Intrusion Prevention Service and Application Intelligence, Control and Visualization		For NSA E5500 (2 Years/3 Years) 01-SSC-6139/01-SSC-6155 For NSA E6500 (2 Years/3 Years) 01-SSC-6138/01-SSC-6154 For NSA E7500 (2 Years/3 Years) 01-SSC-6137/01-SSC-6153 For NSA E8500 (2 Years/3 Years) 01-SSC-8941/01-SSC-8942 For NSA E8510 (2 Years/3 Years) 01-SSC-9266/01-SSC-9267	Available on SonicWALL E-Class NSA Series appliances, SonicWALL Gateway Anti-Virus, Anti-Spyware, Intrusion Prevention Service and Application Intelligence, Control and Visualization integrates gateway anti-virus, anti-spyware and intrusion prevention to deliver intelligent, real-time network security protection against a comprehensive array of dynamic threats including viruses, spyware, worms, Trojans and software vulnerabilities such as buffer overflows, as well as peer-to-peer and instant messenger applications, backdoor exploits, and other malicious code.
Enforced Client Anti-Virus and Anti-Spyware <i>(Choose between McAfee and Kaspersky anti-virus clients)</i>		5 users (1 Yr) McAfee/Kaspersky 01-SSC-2743/01-SSC-5404 10 users (1 Yr) McAfee/Kaspersky 01-SSC-2740/01-SSC-5407 25 users (1 Yr) McAfee/Kaspersky 01-SSC-2745/01-SSC-5410 50 users (1 Yr) McAfee/Kaspersky 01-SSC-2741/01-SSC-5414 100 users (1 Yr) McAfee/Kaspersky 01-SSC-2742/01-SSC-5417 Discounted two- and three-year clients available	SonicWALL Enforced Client Anti-Virus and Anti-Spyware provides comprehensive protection with little administrative overhead. Anti-virus and anti-spyware policies are automatically enforced network-wide whenever new threats appear. <ul style="list-style-type: none"> • Comprehensive virus and spyware protection using a single integrated client • Automated enforcement of virus and spyware protection policies • Automated deployments of anti-virus and anti-spyware definition and software updates • Full featured email attachment filtering
Comprehensive Anti-Spam Service Note: Recommended for up to 250 users.		For NSA E5500 (2 Years/3 Years) 01-SSC-9010/01-SSC-9011 For NSA E6500 (2 Years/3 Years) 01-SSC-9013/01-SSC-9014 For NSA E7500 (2 Years/3 Years) 01-SSC-9016/01-SSC-9017 For NSA E8500 (2 Years/3 Years) 01-SSC-9019/01-SSC-9020 For NSA E8510 (2 Years/3 Years) 01-SSC-9278/01-SSC-9279	SonicWALL Comprehensive Anti-Spam Service adds powerful enterprise-class protection that can immediately improve network performance by eliminating spam, phishing and viruses from entering your network. With just one mouse click, you can enable advanced cloud-based inbound SMTP protection based on the same technology as in SonicWALL's award-winning line of Email Security software and appliances. Effective enough to be your primary anti-spam solution, or use in front of any existing anti-spam product as a first touch to reduce bandwidth consumption and improve security.
Secure Virtual Assist		Up to 1 Technician 01-SSC-5967 Up to 5 Technicians 01-SSC-5974 Up to 10 Technicians 01-SSC-5971 Up to 25 Technicians 01-SSC-5972	SonicWALL Secure Virtual Assist is a remote support tool that enables a technician to assume control of a customer's PC or laptop for the purpose of providing remote technical assistance. With the customer's permission, the technician can gain instant access to a computer using a Web browser, making it easy to diagnose and fix a problem remotely without the need for a pre-installed "fat" client.
Content Filtering Service Premium Edition		For NSA E5500 (2 Years/3 Years) 01-SSC-7338/01-SSC-7345 For NSA E6500 (2 Years/3 Years) 01-SSC-7337/01-SSC-7344 For NSA E7500 (2 Years/3 Years) 01-SSC-7336/01-SSC-7343 For NSA E8500 (2 Years/3 Years) 01-SSC-8944/01-SSC-8945 For NSA E8510 (2 Years/3 Years) 01-SSC-9269/01-SSC-9270	SonicWALL Content Filtering Service Premium Edition for the E-Class NSA Series enhances protection and productivity for businesses and schools by employing an innovative rating architecture utilizing a dynamic database of URLs, IPs and domains to block over 50 categories of objectionable Web content. An easy-to-use management interface provides network administrators with greater control to transparently enforce acceptable use policies.
Analyzer <i>Note: Also available as a Virtual Appliance</i>		For E-Class NSA Series 01-SSC-3382	SonicWALL Analyzer is an easy-to-use web-based application traffic analytics and reporting tool that provides real-time and historical insight into the health, performance and security of the network. Analyzer supports SonicWALL firewalls, backup/recovery appliances, and secure remote access devices while leveraging application traffic analytics for security event reports.
Global Management System <i>Note: Also available as a Virtual Appliance</i>		5-node License 01-SSC-7680 10-node License 01-SSC-3363 25-node License 01-SSC-3311	The SonicWALL Global Management System (GMS™) provides organizations, distributed enterprises and service providers with a flexible, powerful and intuitive solution to centrally manage and rapidly deploy SonicWALL firewall, anti-spam, backup and recovery, and secure remote access solutions. SonicWALL GMS also provides centralized real-time monitoring, and comprehensive policy and compliance reporting.





Security solutions

NSA Series



Product	NSA 220/220W	NSA 250M/250M-W	NSA 2400	NSA 3500	NSA 4500
Part Numbers	01-SSC-9750 (Wired) 01-SSC-9753 (Wireless)	01-SSC-9755 (Wired) 01-SSC-9758 (Wireless)	01-SSC-7020 01-SSC-7035 (TotalSecure)	01-SSC-7016 01-SSC-7033 (TotalSecure)	01-SSC-7012 01-SSC-7032 (TotalSecure)
Market Positioning and Specific Features	A high-performance Next-Gen Firewall offering branch offices and distributed enterprises in-depth frontline security, application and user control, network productivity and optional 802.11 dual-band wireless. Includes: <ul style="list-style-type: none"> ISP Failover/WAN Load Balancing 2 SSL VPN/2 VPN Clients 10/25* 802.1q VLAN Interfaces Object/Group-based Policy Mgt Stateful A/P HA (Option) Server Load Balancing 	A high-performance Next-Gen Firewall offering branch offices and distributed enterprises in-depth frontline security, application and user control, network productivity and optional 802.11 dual-band wireless. Includes: <ul style="list-style-type: none"> ADSL/LAN Bypass/E1/T1 Module Support ISP Failover/WAN Load Balancing 2 SSL VPN/2 VPN Clients 10/25* 802.1q VLAN Interfaces Object/Group-based Policy Mgt Stateful A/P HA (Option) Server Load Balancing 	A high-performance, multi-service network security platform engineered to be the work horse of the small-to-medium and branch office business network environments. Includes: <ul style="list-style-type: none"> ISP Failover/WAN Load Balancing 2 SSL VPN/10 VPN Clients 25 802.1q VLAN Interfaces Object/Group-based Policy Mgt Stateful A/P HA (Option) Server Load Balancing 	A high-performance, multi-service network security platform engineered to be the work horse of the medium business network environment with (6) six gigabit interfaces. Includes: <ul style="list-style-type: none"> ISP Failover/WAN Load Balancing 2 SSL VPN/50 VPN Clients 50 802.1q VLAN Interfaces Object/Group-based Policy Mgt Stateful A/P HA (Option) Server Load Balancing 	Engineered to meet the needs of the growing businesses by providing a high performance, scalable, multi-function threat prevention appliance. Includes: <ul style="list-style-type: none"> ISP Failover/WAN Load Balancing 2 SSL VPN/500 VPN Clients 200 802.1q VLAN Interfaces Object/Group-based Policy Mgt Stateful A/P High Availability Server Load Balancing
Bundled Services	<ul style="list-style-type: none"> 30 Days GAV, Anti-Spyware, IPS/App Intel/Control/Visualize 30 Days Analyzer Reporting 30 Days CFS Premium 30 Days 25-user Client/Server Anti-Virus Suite 	<ul style="list-style-type: none"> 30 Days GAV, Anti-Spyware, IPS/App Intel/Control/Visualize 30 Days Analyzer Reporting 30 Days CFS Premium 30 Days 25-user Client/Server Anti-Virus Suite 	<ul style="list-style-type: none"> 30 Days GAV, Anti-Spyware, IPS/App Intel/Control/Visualize 30 Days Analyzer Reporting 30 Days CFS Premium 30 Days 25-user Client/Server Anti-Virus Suite 	<ul style="list-style-type: none"> 30 Days GAV, Anti-Spyware, IPS/App Intel/Control/Visualize 30 Days Analyzer Reporting 30 Days CFS Premium 30 Days 25-user Client/Server Anti-Virus Suite 30 Days DPI SSL 	<ul style="list-style-type: none"> 30 Days GAV, Anti-Spyware, IPS/App Intel/Control/Visualize 30 Days Analyzer Reporting 30 Days CFS Premium 30 Days 25-user Client/Server Anti-Virus Suite 30 Days DPI SSL
General Features Across all NSA Appliances	<ul style="list-style-type: none"> Deep Packet Inspection Firewall Clean VPN 	<ul style="list-style-type: none"> Dynamic Routing OSPF/RIP IPSec 3DES/AES Encryption 	<ul style="list-style-type: none"> Voice and Video over IP Route-based VPN 	<ul style="list-style-type: none"> DHCP Server/DHCP Relay Policy-based User Authentication 	<ul style="list-style-type: none"> Bandwidth Management/QoS Single Sign-On
Specifications	<ul style="list-style-type: none"> Nodes: Unrestricted Interfaces: 7 GbE, 2 USB, 1 Console Stateful Firewall Performance: 600 Mbps GAV Performance: 115 Mbps IPS Performance: 195 Mbps Full UTM Performance: 110 Mbps VPN Performance: 150 Mbps (3DES/AES) Site-to-Site VPN Policies: 25 Global VPN Client Licenses: 2 standard, non-shareable SSL VPN Client Licenses: 2 Bundled/15 Max Virtual Assist Technicians: 30-Day Trial (1 Technician)/5 Max Concurrent Connections: 85,000 (Max) New Connections/Second: 2,200 Warranty: 1-Yr Limited Hardware/90 days Limited Software 	<ul style="list-style-type: none"> Nodes: Unrestricted Interfaces: 5 GbE, 2 USB, 1 Console, 1 Mod Slot Stateful Firewall Performance: 750 Mbps GAV Performance: 140 Mbps IPS Performance: 250 Mbps Full UTM Performance: 130 Mbps VPN Performance: 200 Mbps (3DES/AES) Site-to-Site VPN Policies: 50 Global VPN Client Licenses: 2 standard, non-shareable SSL VPN Client Licenses: 2 Bundled/15 Max Virtual Assist Technicians: 30-Day Trial (1 Technician)/5 Max Concurrent Connections: 110,000 (Max) New Connections/Second: 3,000 Warranty: 1-Yr Limited Hardware/90 days Limited Software 	<ul style="list-style-type: none"> Nodes: Unrestricted Interfaces: 6 GbE, 2 USB, 1 Console Stateful Firewall Performance: 775 Mbps GAV Performance: 160 Mbps IPS Performance: 275 Mbps Full UTM Performance: 150 Mbps VPN Performance: 300 Mbps (3DES/AES) Site-to-Site VPN Policies: 75 Global VPN Client Licenses: 10 standard, non-shareable SSL VPN Client Licenses: 2 Bundled/25 Max Virtual Assist Technicians: 1 Bundled/5 Max Concurrent Connections: 225,000 (Max) New Connections/Second: 4,000 Warranty: 1-Yr Limited Hardware/90 days Limited Software 	<ul style="list-style-type: none"> Nodes: Unrestricted Interfaces: 6 GbE, 2 USB, 1 Console Stateful Firewall Performance: 1.5 Gbps GAV Performance: 350 Mbps IPS Performance: 750 Mbps Full UTM Performance: 240 Mbps VPN Performance: 625 Mbps (3DES/AES) Site-to-Site VPN Policies: 800 Global VPN Client Licenses: 50 standard, non-shareable SSL VPN Client Licenses: 2 Bundled/30 Max Virtual Assist Technicians: 2 Bundled/10 Max Concurrent Connections: 325,000 (Max) New Connections/Second: 7,000 Warranty: 1-Yr Limited Hardware/90 days Limited Software 	<ul style="list-style-type: none"> Nodes: Unrestricted Interfaces: 6 GbE, 2 USB, 1 Console Stateful Firewall Performance: 2.75 Gbps GAV Performance: 690 Mbps IPS Performance: 1.4 Gbps Full UTM Performance: 600 Mbps VPN Performance: 1.0 Gbps (3DES/AES) Site-to-Site VPN Policies: 1,500 Global VPN Client Licenses: 500 SSL VPN Client Licenses: 2 Bundled/30 Max Virtual Assist Technicians: 2 Bundled/10 Max Concurrent Connections: 500,000 (Max) New Connections/Second: 10,000 Warranty: 1-Yr Limited Hardware/90 days Limited Software
General Upgrade Options Across all NSA Appliances	<ul style="list-style-type: none"> Gateway AV, Anti-Spyware, IPS and Application Intelligence, Control and Visualization 	<ul style="list-style-type: none"> Comprehensive Anti-Spam Service Virtual Assist/Access 	<ul style="list-style-type: none"> Client/Server Anti-Virus Suite Content Filtering Service Deep Packet Inspection SSL 	<ul style="list-style-type: none"> Global Management System Analyzer Reporting Software Scrutinizer 	<ul style="list-style-type: none"> Mobile Connect SSL VPN iOS/Android Global VPN Client 8x5 and 24x7 Support
Key Selling Points	<ul style="list-style-type: none"> Breakthrough multi-core Unified Threat Management performance Ultra high-speed multi-layer threat protection Next-generation protection with Application Intelligence Unsurpassed business continuity and high availability protection Extensible and modular architecture Deployment scalability and flexibility Continually updatable platform 				

SonicWALL Security Services for NSA Series Products

Product		Part Numbers	Description
Comprehensive Gateway Security Suite		For NSA 240 (1 Year) 01-SSC-9244 For NSA 220 (2 Years/3 Years) 01-SSC-4649/01-SSC-4650 For NSA 250M (2 Years/3 Years) 01-SSC-4607/01-SSC-4608 For NSA 2400/MX (2 Years/3 Years) 01-SSC-9232/01-SSC-9239 For NSA 3500 (2 Years/3 Years) 01-SSC-9231/01-SSC-9238 For NSA 4500 (2 Years/3 Years) 01-SSC-9230/01-SSC-9237 <i>Note: TotalSecure solutions ship with one year of CGSS included</i>	SonicWALL Comprehensive Gateway Security Suite (CGSS) combines security, productivity, reporting and support in a single, low-cost solution. Available on all NSA Series appliances, it is the perfect solution for turning your customers' SonicWALLs into total security and productivity platforms. The Comprehensive Gateway Security Suite is available in one, two and three-year subscriptions that include the following: <ul style="list-style-type: none"> • Gateway Anti-Virus, Anti-Spyware and Intrusion Prevention Service and Application Intelligence/Control • Content Filtering Service Premium Edition • Dynamic Support 24x7
Dynamic Support 8x5 and 24x7		Dynamic Support 8x5 Dynamic Support 24x7 SKUs by product SKUs by product Discounted two- and three-year contracts available	For customers who need continued protection through ongoing firmware updates and advanced technical support, SonicWALL Dynamic Support Services delivers the support features and quality of service that organizations require to keep their networks running smoothly and efficiently. These services include: <ul style="list-style-type: none"> • Annual subscription to software and firmware updates and upgrades • Access to telephone and Web-based support for installation, configuration and troubleshooting help • Advance Exchange hardware replacement in the event of failure • Annual subscription to SonicWALL Service Bulletins and access to electronic support tools
Gateway Anti-Virus, Anti-Spyware, Intrusion Prevention Service and Application Intelligence, Control and Visualization		For NSA 240 (2 Years/3 Years) 01-SSC-6163/01-SSC-6164 For NSA 220 (2 Years/3 Years) 01-SSC-4613/01-SSC-4614 For NSA 250M (2 Years/3 Years) 01-SSC-4571/01-SSC-4572 For NSA 2400/MX (2 Years/3 Years) 01-SSC-6142/01-SSC-6158 For NSA 3500 (2 Years/3 Years) 01-SSC-6141/01-SSC-6157 For NSA 4500 (2 Years/3 Years) 01-SSC-6140/01-SSC-6156	SonicWALL Gateway Anti-Virus, Anti-Spyware, Intrusion Prevention Service and Application Intelligence, Control and Visualization integrates gateway anti-virus, anti-spyware and intrusion prevention to deliver intelligent, real-time network security protection against a comprehensive array of dynamic threats including viruses, spyware, worms, Trojans and software vulnerabilities such as buffer overflows, as well as peer-to-peer and instant messenger applications, backdoor exploits, and other malicious code.
Enforced Client Anti-Virus and Anti-Spyware <i>(Choose between McAfee and Kaspersky anti-virus clients)</i>		5 users (1 Yr) McAfee/Kaspersky 01-SSC-2743/01-SSC-5404 10 users (1 Yr) McAfee/Kaspersky 01-SSC-2740/01-SSC-5407 25 users (1 Yr) McAfee/Kaspersky 01-SSC-2745/01-SSC-5410 50 users (1 Yr) McAfee/Kaspersky 01-SSC-2741/01-SSC-5414 100 users (1 Yr) McAfee/Kaspersky 01-SSC-2742/01-SSC-5417 Discounted two- and three-year clients available	SonicWALL Enforced Client Anti-Virus and Anti-Spyware provides comprehensive protection with little administrative overhead. Anti-virus and anti-spyware policies are automatically enforced network-wide whenever new threats appear. <ul style="list-style-type: none"> • Comprehensive virus and spyware protection using a single integrated client • Automated enforcement of virus and spyware protection policies • Automated deployments of anti-virus and anti-spyware definition and software updates • Full featured email attachment filtering
Comprehensive Anti-Spam Service Note: Recommended for up to 250 users.		For NSA 240 (2 Years/3 Years) 01-SSC-6163/01-SSC-6164 For NSA 220 (2 Years/3 Years) 01-SSC-4643/01-SSC-4644 For NSA 250M (2 Years/3 Years) 01-SSC-4601/01-SSC-4602 For NSA 2400/MX (2 Years/3 Years) 01-SSC-6142/01-SSC-6158 For NSA 3500 (2 Years/3 Years) 01-SSC-6141/01-SSC-6157 For NSA 4500 (2 Years/3 Years) 01-SSC-6140/01-SSC-6156	SonicWALL Comprehensive Anti-Spam Service adds powerful enterprise-class protection that can immediately improve network performance by eliminating spam, phishing and viruses from entering your network. With just one mouse click, you can enable advanced cloud-based inbound SMTP protection based on the same technology as in SonicWALL's award-winning line of Email Security software and appliances. Effective enough to be your primary anti-spam solution, or use in front of any existing anti-spam product as a first touch to reduce bandwidth consumption and improve security.
Secure Virtual Assist		Up to 1 Technician 01-SSC-5967 Up to 5 Technicians 01-SSC-5974 Up to 10 Technicians 01-SSC-5971 Up to 25 Technicians 01-SSC-5972	SonicWALL Secure Virtual Assist is a remote support tool that enables a technician to assume control of a customer's PC or laptop for the purpose of providing remote technical assistance. With the customer's permission, the technician can gain instant access to a computer using a Web browser, making it easy to diagnose and fix a problem remotely without the need for a pre-installed "fat" client.
Content Filtering Service Premium Edition		For NSA 240 (2 Years/3 Years) 01-SSC-8995/01-SSC-8996 For NSA 220 (2 Years/3 Years) 01-SSC-4619/01-SSC-4620 For NSA 250M (2 Years/3 Years) 01-SSC-4577/01-SSC-4578 For NSA 2400/MX (2 Years/3 Years) 01-SSC-8998/01-SSC-8999 For NSA 3500 (2 Years/3 Years) 01-SSC-9001/01-SSC-9002 For NSA 4500 (2 Years/3 Years) 01-SSC-9004/01-SSC-9005	SonicWALL Content Filtering Service Premium Edition for the NSA Series enhances protection and productivity for businesses and schools by employing an innovative rating architecture utilizing a dynamic database of URLs, IPs and domains to block over 50 categories of objectionable Web content. An easy-to-use management interface provides network administrators with greater control to transparently enforce acceptable use policies.
Analyzer <i>Note: Also available as a Virtual Appliance</i>		For NSA 240/220/250M/2400 01-SSC-3379 For NSA 3500 01-SSC-3380 For NSA 4500 01-SSC-3381	SonicWALL Analyzer is an easy-to-use web-based application traffic analytics and reporting tool that provides real-time and historical insight into the health, performance and security of the network. Analyzer supports SonicWALL firewalls, backup/recovery appliances, and secure remote access devices while leveraging application traffic analytics for security event reports.
Global Management System <i>Note: Also available as a Virtual Appliance</i>		5-node License 01-SSC-7680 10-node License 01-SSC-3363 25-node License 01-SSC-3311	SonicWALL Global Management System (GMS™) provides organizations, distributed enterprises and service providers with a flexible, powerful and intuitive solution to centrally manage and rapidly deploy SonicWALL firewall, anti-spam, backup and recovery, and secure remote access solutions. SonicWALL GMS also provides centralized real-time monitoring, and comprehensive policy and compliance reporting.





Security solutions

2012 TZ Series



Product	TZ 105/105 Wireless-N		TZ 205/205 Wireless-N		TZ 215/215 Wireless-N	
Part Numbers	01-SSC-6942 (Wired) 01-SSC-4899 (Wireless) 01-SSC-4906 (Wired) TotalSecure 01-SSC-4910 (Wireless) TotalSecure		01-SSC-6945 (Wired) 01-SSC-4883 (Wireless) 01-SSC-4890 (Wired) TotalSecure 01-SSC-4894 (Wireless) TotalSecure		01-SSC-4976 (Wired) 01-SSC-4969 (Wireless) 01-SSC-4982 (Wired) TotalSecure 01-SSC-4986 (Wireless) TotalSecure	
Market Positioning and Specific Features	<p>The TZ 105 is the most secure Unified Threat Management (UTM) firewall available for small offices, home offices and small retail deployments. Includes:</p> <ul style="list-style-type: none"> • Unrestricted Nodes • SonicOS 5.x Firmware • IPSec and SSL VPN Remote Access • 5-port Auto-MDIX Switch • PortShield Architecture • Additional Wireless Features: <ul style="list-style-type: none"> • 802.11n Support • WPA2 Support • Wireless Intrusion Detection/Prevention 		<p>The powerful TZ 205 Unified Threat Management (UTM) firewall combines the most effective intrusion prevention, anti-malware and content/URL filtering with the broadest, most secure mobile platform support for laptops, smartphones and tablets. Includes:</p> <ul style="list-style-type: none"> • Unrestricted Nodes • Dual Core processor • SonicOS 5.x Firmware • IPSec and SSL VPN Remote Access • 3G Wireless Broadband • 5-port Auto-MDIX GbE Switch • USB Port • PortShield Architecture • Additional Wireless Features: <ul style="list-style-type: none"> • 802.11n Dual-Band Support • WPA2 Support • Wireless Intrusion Detection/Prevention 		<p>The TZ 215 is the most secure, highest performing Unified Threat Management (UTM) firewall available for small businesses, distributed enterprises, branch offices and retail deployments, integrating anti-malware, intrusion prevention, application control and URL filtering, driving down cost and complexity. Includes:</p> <ul style="list-style-type: none"> • Unrestricted Nodes • Dual Core processor • SonicOS 5.x Firmware • Gigabit Ethernet WAN and LAN • IPSec and SSL VPN Remote Access • 3G Wireless Broadband • 5-port Auto-MDIX GbE Switch • USB Ports • PortShield Architecture • Additional Wireless Features: <ul style="list-style-type: none"> • 802.11n Dual-Band Support • WPA2 Support • Wireless Intrusion Detection/Prevention 	
Bundled Services	<ul style="list-style-type: none"> • 30 Days GAV, Anti-Spyware and IPS • 30 Days CFS Premium Edition • 30 Days Enforced Desktop Anti-Virus • 30 Days Analyzer Reporting Software 		<ul style="list-style-type: none"> • 30 Days GAV, Anti-Spyware and IPS • 30 Days CFS Premium Edition • 30 Days Enforced Desktop Anti-Virus • 30 Days Analyzer Reporting Software 		<ul style="list-style-type: none"> • 30 Days GAV, Anti-Spyware, IPS, Application Intelligence, Control and Visualization • 30 Days CFS Premium Edition • 30 Days Enforced Desktop Anti-Virus • 30 Days Analyzer Reporting Software 	
General Features Across all TZ Appliances	<ul style="list-style-type: none"> • Deep Packet Inspection Firewall • Clean VPN 		<ul style="list-style-type: none"> • Dynamic DNS • IPSec 3DES/AES Encryption 		<ul style="list-style-type: none"> • Voice and Video over IP • Route-based VPN 	
Specifications	<ul style="list-style-type: none"> • Unrestricted Licensed Nodes • 5 FE (w/Switch), 2 USB, 1 Console Interfaces • 200 Mbps Stateful Packet Inspection • 40 Mbps GAV Performance • 60 Mbps IPS Performance • 25 Mbps Full UTM Performance • 75 Mbps (3DES/AES) VPN Performance • 5 Site-to-Site VPN Policies • Optional Upgrade/5 Max Global VPN Client Licenses • 1/5 Max SSL VPN Client Licenses • Virtual Assist Technicians • 8,000 (Max) Concurrent Connections • 1-Yr Limited Hardware/90 days Limited Software Warranty 		<ul style="list-style-type: none"> • Unrestricted 5 GbE (w/Switch), 1 USB, 1 Console Interfaces • 500 Mbps • 60 Mbps • 80 Mbps • 40 Mbps • 100 Mbps (3DES/AES) • 10 • 2/10 Max • 1/10 Max • 30-Day Trial (1 Technician)/1 Max • 12,000 (Max) • 1-Yr Limited Hardware/90 days Limited Software 		<ul style="list-style-type: none"> • Unrestricted 7 GbE (w/Switch), 2 USB, 1 Console Interfaces • 500 Mbps • 70 Mbps • 110 Mbps • 60 Mbps • 130 Mbps (3DES/AES) • 15 • 2/25 Max • 2/10 Max • 30-Day Trial (1 Technician)/2 Max • 48,000 (Max) • 1-Yr Limited Hardware/90 days Limited Software 	
General Upgrade Options Across all TZ Appliances	<ul style="list-style-type: none"> • Comprehensive Gateway Security Suite • Gateway AV, Anti-Spyware and IPS • Virtual Assist 		<ul style="list-style-type: none"> • Content Filtering Service • Enforced Client Anti-Virus and Anti-Spyware • Mobile Connect SSL VPN iOS/Android 		<ul style="list-style-type: none"> • Comprehensive Anti-Spam Service • 8x5 and 24x7 Support • Global VPN Client 	
Key Selling Points	<ul style="list-style-type: none"> • Deep packet inspection firewall • Clean Wireless LAN capabilities 		<ul style="list-style-type: none"> • Price-Performance leadership • Comprehensive layered security 		<ul style="list-style-type: none"> • Easy to deploy and manage • Powerful firewall throughput and VPN concentration 	
	<ul style="list-style-type: none"> • Simple VPN Client provisioning through automatic, user-authenticated VPN policy download and synchronization 					

SonicWALL Security Services for 2012 TZ Series Solutions

Product		Part Numbers	Description
Comprehensive Gateway Security Suite		For TZ 105 Series (2 Years/3 Years) 01-SSC-4878/01-SSC-4879 For TZ 205 Series (2 Years/3 Years) 01-SSC-4839/01-SSC-4840 For TZ 215 Series (2 Years/3 Years) 01-SSC-4794/01-SSC-4795 <i>Note: TotalSecure solutions ship with one year of CGSS included</i>	SonicWALL Comprehensive Gateway Security Suite (CGSS) combines security, productivity, reporting and support in a single, low-cost solution. Available on all TZ Series appliances, it is the perfect solution for turning your customers' SonicWALLs into total security and productivity platforms. The Comprehensive Gateway Security Suite is available in one, two and three-year subscriptions that include the following: <ul style="list-style-type: none"> Gateway Anti-Virus, Anti-Spyware and Intrusion Prevention Service Application Intelligence, Control and Visualization (TZ 215 only) Content Filtering Service Premium Edition Dynamic Support 24x7
Gateway Anti-Virus, Anti-Spyware and Intrusion Prevention Service		For TZ 105 Series (2 Years/3 Years) 01-SSC-4845/01-SSC-4846 For TZ 205 Series (2 Years/3 Years) 01-SSC-4800/01-SSC-4801 For TZ 215 Series (2 Years/3 Years) 01-SSC-4758/01-SSC-4759	Available on SonicWALL TZ Series appliances, SonicWALL Gateway Anti-Virus, Anti-Spyware and Intrusion Prevention Service integrates gateway anti-virus, anti-spyware and intrusion prevention to deliver intelligent, real-time network security protection against a comprehensive array of dynamic threats including viruses, spyware, worms, Trojans and software vulnerabilities such as buffer overflows, as well as peer-to-peer and instant messenger applications, backdoor exploits, and other malicious code.
Enforced Client Anti-Virus and Anti-Spyware <i>(Choose between McAfee and Kaspersky anti-virus clients)</i>		5 users (1 Yr) McAfee/Kaspersky 01-SSC-2743/01-SSC-5404 10 users (1 Yr) McAfee/Kaspersky 01-SSC-2740/01-SSC-5407 25 users (1 Yr) McAfee/Kaspersky 01-SSC-2745/01-SSC-5410 50 users (1 Yr) McAfee/Kaspersky 01-SSC-2741/01-SSC-5414 100 users (1 Yr) McAfee/Kaspersky 01-SSC-2742/01-SSC-5417 Discounted two- and three-year clients available	SonicWALL Enforced Client Anti-Virus and Anti-Spyware provides comprehensive protection with little administrative overhead. Anti-virus and anti-spyware policies are automatically enforced network-wide whenever new threats appear. <ul style="list-style-type: none"> Comprehensive virus and spyware protection using a single integrated client Automated enforcement of virus and spyware protection policies Automated deployments of anti-virus and anti-spyware definition and software updates Full featured email attachment filtering
Comprehensive Anti-Spam Service Note: Recommended for up to 250 users.		For TZ 105 Series (2 Years/3 Years) 01-SSC-4872/01-SSC-4873 For TZ 205 Series (2 Years/3 Years) 01-SSC-4833/01-SSC-4834 For TZ 215 Series (2 Years/3 Years) 01-SSC-4788/01-SSC-4789	SonicWALL Comprehensive Anti-Spam Service adds powerful enterprise-class protection that can immediately improve network performance by eliminating spam, phishing and viruses from entering your network. With just one mouse click, you can enable advanced cloud-based inbound SMTP protection based on the same technology as in SonicWALL's award-winning line of Email Security software and appliances. Effective enough to be your primary anti-spam solution, or use in front of any existing anti-spam product as a first touch to reduce bandwidth consumption and improve security.
Secure Virtual Assist		Up to 1 Technician 01-SSC-5967 Up to 5 Technicians 01-SSC-5974 Up to 10 Technicians 01-SSC-5971 Up to 25 Technicians 01-SSC-5972	SonicWALL Secure Virtual Assist is a remote support tool that enables a technician to assume control of a customer's PC or laptop for the purpose of providing remote technical assistance. With the customer's permission, the technician can gain instant access to a computer using a Web browser, making it easy to diagnose and fix a problem remotely without the need for a pre-installed "fat" client.
Content Filtering Service Premium Business Edition		For TZ 105 Series (2 Years/3 Years) 01-SSC-4851/01-SSC-4852 For TZ 205 Series (2 Years/3 Years) 01-SSC-4806/01-SSC-4807 For TZ 215 Series (2 Years/3 Years) 01-SSC-4764/01-SSC-4765	SonicWALL Content Filtering Service Premium Edition enhances protection and productivity for businesses and schools by employing an innovative rating architecture utilizing a dynamic database of URLs, IPs and domains to block over 50 categories of objectionable Web content. An easy-to-use management interface provides network administrators with greater control to transparently enforce acceptable use policies.
Analyzer <i>Note: Also available as a Virtual Appliance</i>		For TZ Series 01-SSC-3378	SonicWALL Analyzer is an easy-to-use web-based application traffic analytics and reporting tool that provides real-time and historical insight into the health, performance and security of the network. Analyzer supports SonicWALL firewalls, backup/recovery appliances, and secure remote access devices while leveraging application traffic analytics for security event reports.
Global Management System <i>Note: Also available as a Virtual Appliance</i>		5-node License 01-SSC-7680 10-node License 01-SSC-3363 25-node License 01-SSC-3311	The SonicWALL Global Management System (GMSTM) provides organizations, distributed enterprises and service providers with a flexible, powerful and intuitive solution to centrally manage and rapidly deploy SonicWALL firewall, anti-spam, backup and recovery, and secure remote access solutions. SonicWALL GMS also provides centralized real-time monitoring, and comprehensive policy and compliance reporting.
Dynamic Support 8x5 and 24x7		Dynamic Support 8x5 SKUs by product Dynamic Support 24x7 SKUs by product Discounted two- and three-year contracts available	For customers who need continued protection through ongoing firmware updates and advanced technical support, SonicWALL Dynamic Support Services delivers the support features and quality of service that organizations require to keep their networks running smoothly and efficiently. These services include: <ul style="list-style-type: none"> Annual subscription to software and firmware updates and upgrades Access to telephone and Web-based support for installation, configuration and troubleshooting help Advance Exchange hardware replacement in the event of failure

Security solutions

TZ Series



Product Part Numbers	TZ 100/100 Wireless-N 01-SSC-8734 (Wired) 01-SSC-8736 (Wireless) 01-SSC-8739 (Wired) TotalSecure 01-SSC-8728 (Wireless) TotalSecure	TZ 200/200 Wireless-N 01-SSC-8741 (Wired) 01-SSC-8743 (Wireless) 01-SSC-8746 (Wired) TotalSecure 01-SSC-8729 (Wireless) TotalSecure
Market Positioning and Specific Features	The entry point of the TZ Series, the TZ 100 completely revolutionizes SMB and distributed enterprise protection making high performance Unified Threat Management available and at affordable prices for everyone. Includes: <ul style="list-style-type: none"> • Unrestricted Nodes • SonicOS 5.x Firmware • IPSec and SSL VPN Remote Access • 5-port Auto-MDIX Switch • PortShield Architecture • Additional Wireless Features: <ul style="list-style-type: none"> • 802.11n Support • WPA2 Support • Wireless Intrusion Detection/Prevention 	Builds on the TZ 100, delivering critical business continuity and flexibility through several advanced features. Includes: <ul style="list-style-type: none"> • Unrestricted Nodes • SonicOS 5.x Firmware • IPSec and SSL VPN Remote Access • 3G Wireless Broadband • 5-port Auto-MDIX Switch • USB Port • PortShield Architecture • Additional Wireless Features: <ul style="list-style-type: none"> • 802.11n Support • WPA2 Support • Wireless Intrusion Detection/Prevention
Bundled Services	<ul style="list-style-type: none"> • 30 Days GAV, Anti-Spyware and IPS • 30 Days CFS Premium Edition • 30 Days Enforced Desktop Anti-Virus • 30 Days Analyzer Reporting Software 	<ul style="list-style-type: none"> • 30 Days GAV, Anti-Spyware and IPS • 30 Days CFS Premium Edition • 30 Days Enforced Desktop Anti-Virus • 30 Days Analyzer Reporting Software
General Features Across all TZ Appliances	<ul style="list-style-type: none"> • Deep Packet Inspection Firewall • Clean VPN • Dynamic DNS • IPSec 3DES/AES Encryption • Voice and Video over IP • Route-based VPN • DHCP Server • Policy-based User Authentication • PPTP/DHCP/PPPoE/L2TP Client • Bandwidth Management 	
Specifications Licensed Nodes Interfaces Stateful Packet Inspection GAV Performance IPS Performance Full UTM Performance VPN Performance Site-to-Site VPN Policies Global VPN Client Licenses SSL VPN Client Licenses Virtual Assist Technicians Concurrent Connections Warranty	Unrestricted 5 FE (w/Switch), 1 Console 100 Mbps 35 Mbps 50 Mbps 25 Mbps 75 Mbps (3DES/AES) 5 Optional Upgrade/5 Max 1/5 Max - 6,000 (Max) 1-Yr Limited Hardware/90 days Limited Software	Unrestricted 5 FE (w/Switch), 1 USB, 1 Console 100 Mbps 50 Mbps 70 Mbps 35 Mbps 75 Mbps (3DES/AES) 10 2/10 Max 1/10 Max 30-Day Trial (1 Technician)/1 Max 12,000 (Max) 1-Yr Limited Hardware/90 days Limited Software
General Upgrade Options Across all TZ Appliances	<ul style="list-style-type: none"> • Comprehensive Gateway Security Suite • Gateway AV, Anti-Spyware and IPS • Virtual Assist • Content Filtering Service • Enforced Client Anti-Virus and Anti-Spyware • Mobile Connect SSL VPN iOS/Android • Comprehensive Anti-Spam Service • 8x5 and 24x7 Support • Global VPN Client • Analyzer Reporting Software • Global Management System 	
Key Selling Points	<ul style="list-style-type: none"> • Deep packet inspection firewall • Clean Wireless LAN capabilities • Price-Performance leadership • Comprehensive layered security • Easy to deploy and manage • Powerful firewall throughput and VPN concentration • Simple VPN Client provisioning through automatic, user-authenticated VPN policy download and synchronization 	

SonicWALL Security Services for TZ Series Solutions

Product		Part Numbers	Description
Comprehensive Gateway Security Suite		For TZ 180 Series Unrestricted Node (1 Year) 01-SSC-6895 For TZ 180 Series 10 and 25 Node (1 Year) 01-SSC-6892 For TZ 190 Series Unrestricted Node (1 Year) 01-SSC-5844 For TZ 100 Series (1 Year) 01-SSC-9256 For TZ 200 Series (1 Year) 01-SSC-9253 For TZ 210 Series (1 Year) 01-SSC-9247 Note: TotalSecure solutions ship with one year of CGSS included Discounted two- and three-year contracts available	SonicWALL Comprehensive Gateway Security Suite (CGSS) combines security, productivity, reporting and support in a single, low-cost solution. Available on all TZ Series appliances, it is the perfect solution for turning your customers' SonicWALLs into total security and productivity platforms. The Comprehensive Gateway Security Suite is available in one, two and three-year subscriptions that include the following: <ul style="list-style-type: none"> • Gateway Anti-Virus, Anti-Spyware and Intrusion Prevention Service • Content Filtering Service Standard Edition (TZ 180/190) or Premium Edition (TZ 100/200/210) • Dynamic Support 24x7
Gateway Anti-Virus, Anti-Spyware and Intrusion Prevention Service		For TZ 180 Series Unrestricted Node (1 Year) 01-SSC-6915 For TZ 180 Series 10 and 25 Node (1 Year) 01-SSC-6912 For TZ 190 Series (1 Year) 01-SSC-5751 For TZ 100 Series (1 Year) 01-SSC-6171 For TZ 200 Series (1 Year) 01-SSC-6168 For TZ 210 Series (1 Year) 01-SSC-6165 Discounted two- and three-year contracts available	Available on SonicWALL TZ Series appliances, SonicWALL Gateway Anti-Virus, Anti-Spyware and Intrusion Prevention Service integrates gateway anti-virus, anti-spyware and intrusion prevention to deliver intelligent, real-time network security protection against a comprehensive array of dynamic threats including viruses, spyware, worms, Trojans and software vulnerabilities such as buffer overflows, as well as peer-to-peer and instant messenger applications, backdoor exploits, and other malicious code.
Enforced Client Anti-Virus and Anti-Spyware <i>(Choose between McAfee and Kaspersky anti-virus clients)</i>		5 users (1 Yr) McAfee/Kaspersky 01-SSC-2743/01-SSC-5404 10 users (1 Yr) McAfee/Kaspersky 01-SSC-2740/01-SSC-5407 25 users (1 Yr) McAfee/Kaspersky 01-SSC-2745/01-SSC-5410 50 users (1 Yr) McAfee/Kaspersky 01-SSC-2741/01-SSC-5414 100 users (1 Yr) McAfee/Kaspersky 01-SSC-2742/01-SSC-5417 Discounted two- and three-year clients available	SonicWALL Enforced Client Anti-Virus and Anti-Spyware provides comprehensive protection with little administrative overhead. Anti-virus and anti-spyware policies are automatically enforced network-wide whenever new threats appear. <ul style="list-style-type: none"> • Comprehensive virus and spyware protection using a single integrated client • Automated enforcement of virus and spyware protection policies • Automated deployments of anti-virus and anti-spyware definition and software updates • Full featured email attachment filtering
Comprehensive Anti-Spam Service Note: Recommended for up to 250 users.		For TZ 100 Series (2 Years/3 Years) 01-SSC-8986/01-SSC-8987 For TZ 200 Series (2 Years/3 Years) 01-SSC-8989/01-SSC-8990 For TZ 210 Series (2 Years/3 Years) 01-SSC-8992/01-SSC-8993	SonicWALL Comprehensive Anti-Spam Service adds powerful enterprise-class protection that can immediately improve network performance by eliminating spam, phishing and viruses from entering your network. With just one mouse click, you can enable advanced cloud-based inbound SMTP protection based on the same technology as in SonicWALL's award-winning line of Email Security software and appliances. Effective enough to be your primary anti-spam solution, or use in front of any existing anti-spam product as a first touch to reduce bandwidth consumption and improve security.
Secure Virtual Assist		Up to 1 Technician 01-SSC-5967 Up to 5 Technicians 01-SSC-5974 Up to 10 Technicians 01-SSC-5971 Up to 25 Technicians 01-SSC-5972	SonicWALL Secure Virtual Assist is a remote support tool that enables a technician to assume control of a customer's PC or laptop for the purpose of providing remote technical assistance. With the customer's permission, the technician can gain instant access to a computer using a Web browser, making it easy to diagnose and fix a problem remotely without the need for a pre-installed "fat" client.
Content Filtering Service Premium Business Edition		For TZ 180/190 Series (1 Year) 01-SSC-5650 For TZ 100 Series (1 Year) 01-SSC-8637 For TZ 200 Series (1 Year) 01-SSC-8634 For TZ 210 Series (1 Year) 01-SSC-7371 Discounted two- and three-year contracts available	SonicWALL Content Filtering Service Premium Edition enhances protection and productivity for businesses and schools by employing an innovative rating architecture utilizing a dynamic database of URLs, IPs and domains to block over 50 categories of objectionable Web content. An easy-to-use management interface provides network administrators with greater control to transparently enforce acceptable use policies.
Analyzer <i>Note: Also available as a Virtual Appliance</i>		For TZ Series 01-SSC-3378	SonicWALL Analyzer is an easy-to-use web-based application traffic analytics and reporting tool that provides real-time and historical insight into the health, performance and security of the network. Analyzer supports SonicWALL firewalls, backup/recovery appliances, and secure remote access devices while leveraging application traffic analytics for security event reports.
Global Management System <i>Note: Also available as a Virtual Appliance</i>		5-node License 01-SSC-7680 10-node License 01-SSC-3363 25-node License 01-SSC-3311	The SonicWALL Global Management System (GMST™) provides organizations, distributed enterprises and service providers with a flexible, powerful and intuitive solution to centrally manage and rapidly deploy SonicWALL firewall, anti-spam, backup and recovery, and secure remote access solutions. SonicWALL GMS also provides centralized real-time monitoring, and comprehensive policy and compliance reporting.
Dynamic Support 8x5 and 24x7		Dynamic Support 8x5 SKUs by product Dynamic Support 24x7 SKUs by product Discounted two- and three-year contracts available	For customers who need continued protection through ongoing firmware updates and advanced technical support, SonicWALL Dynamic Support Services delivers the support features and quality of service that organizations require to keep their networks running smoothly and efficiently. These services include: <ul style="list-style-type: none"> • Annual subscription to software and firmware updates and upgrades • Access to telephone and Web-based support for installation, configuration and troubleshooting help • Advance Exchange hardware replacement in the event of failure

WAN Acceleration



Product	WXA 500 Live CD	WXA 2000	WXA 4000	WXA 5000 Virtual Appliance
Part Numbers	01-SSC-9438 (Includes 1 year Software Subscription and Dynamic Support 24x7) 01-SSC-9446 (Software and 24x7 Support 1 Year) 01-SSC-9447 (Software and 24x7 Support 2 Years) 01-SSC-9448 (Software and 24x7 Support 3 Years)	01-SSC-9440 (Includes 1 Year of Dynamic Support 24x7) 01-SSC-9449 (Dynamic Support 24x7 1 Year) 01-SSC-9450 (Dynamic Support 24x7 2 Years) 01-SSC-9451 (Dynamic Support 24x7 3 Years)	01-SSC-9442 (Includes 1 year of Dynamic Support 24x7) 01-SSC-9452 (Dynamic Support 24x7 1 Year) 01-SSC-9453 (Dynamic Support 24x7 2 Years) 01-SSC-9454 (Dynamic Support 24x7 3 Years)	01-SSC-9444 (Includes 1 year Software Subscription and Dynamic Support 24x7) 01-SSC-9455 (Software and 24x7 Support 1 Year) 01-SSC-9456 (Software and 24x7 Support 2 Years) 01-SSC-9457 (Software and 24x7 Support 3 Years)
Market Positioning and Specific Features	The SonicWALL WAN Acceleration Appliance (WXA) Series significantly enhances WAN application performance and improves the end user experience for small- to medium-sized organizations with remote and branch offices. After initial file transfer, the WXA solution dramatically reduces all subsequent traffic by transmitting only new or changed data across the network. Unlike standalone products, the WXA Series is an integrated add-on to SonicWALL E-Class NSA, NSA and TZ firewalls, thus simplifying deployment, configuration, routing and management. When deployed in conjunction with SonicWALL Application Intelligence and Control, the WXA Series offers the unique combined benefit of both prioritizing application traffic and minimizing traffic between sites.			
Specifications	Requires SonicOS 5.8.1.0 or later	Requires SonicOS 5.8.1.0 or later	Requires SonicOS 5.8.1.0 or later	Requires SonicOS 5.8.1.0 or later
Management	20	120	240	360
Maximum Users	100	600	1,200	1,800
Maximum Flows	Yes	Yes	Yes	Yes
Byte Caching	Yes	Yes	Yes	Yes
TCP/File Compression	Yes	Yes	Yes	Yes
WFS Acceleration	Yes	Yes	Yes	Yes
TCP/WFS Virtualization	Yes	Yes	Yes	Yes





Wireless Solution



Product	SonicPoint-Ni, SonicPoint-Ne and SonicPoint-N Dual-Radio Access Points	Power over Ethernet (PoE) Injector
Part Numbers	SonicPoint-Ni Dual-Band Bundle with PoE Injector 01-SSC-8576 SonicPoint-Ni Dual-Band Bundle without PoE Injector 01-SSC-8589 (4-pack) 01-SSC-8593 (8-pack) SonicPoint-Ne Dual-Band Bundle with PoE Injector 01-SSC-8578 SonicPoint-Ne Dual-Band Bundle without PoE Injector 01-SSC-8591 (4-pack) 01-SSC-8584 (8-pack) SonicPoint-N Dual-Radio Bundle with PoE Injector 01-SSC-9290 SonicPoint-N Dual-Radio Bundle without PoE Injector 01-SSC-9292 (4-pack) 01-SSC-9294 (8-pack)	01-SSC-5544 (802.3af Gigabit-N) 01-SSC-5545 (802.3at Gigabit-N)
Market Positioning and Specific Features	Compliant with the IEEE 802.11n standard, the SonicPoint-Ni, SonicPoint-Ne and SonicPoint-N Dual-Radio are dependent access points that provide secure wireless LAN connectivity to users on the network. Includes: <ul style="list-style-type: none"> • Automatic provisioning from TZ, NSA and E-Class NSA Series Appliances* • Support for multiple security options (WPA, WPA2, WEP, SSL VPN, IPSec) • Support for up to 8 distinct SSIDs with distinct security policies using Virtual Access Points (VAP)** • Multiple input, Multiple output technology (MIMO) • IEEE 802.3af/at Power Over Ethernet receive capability*** • Detachable antennas (SonicPoint-Ne and SonicPoint-N Dual-Radio only) • Controllable LEDs (power excluded) and a plastic cover for LEDs and the logo for discreet installations such as hospital rooms • Wall or Ceiling Mountable * SonicPoint-Ni/SonicPoint-Ne requires SonicOS 5.6.0.3 or greater. SonicPoint-N Dual-Radio-N requires SonicOS 5.8 or greater. **Available on the NSA 240/2400/3500/4500/5000/E5500/E6500/E7500/E8500 running SonicOS 5.8 or greater ***SonicPoint-Ni and SonicPoint-N Dual-Band access points support PoE power only. SonicPoint-Ne Dual-Radio access points can also be powered directly through an AC adapter	The SonicWALL PoE Injector is an IEEE 802.3af/at compliant power injector that detects the presence of PoE-compatible devices and "injects" the appropriate power into the data cable. Includes: <ul style="list-style-type: none"> • Remote power feeding • IEEE 802.3 compliant • Advanced auto-sensing algorithm • Interlocking Note: SonicPoint-N Dual-Radio requires an 802.3at compliant PoE injector or switch




Security solutions

SSL VPN for the Enterprise: SonicWALL

Product	SonicWALL Aventail SSL VPNs provide granular application access control by first detecting the security of the end point, protecting applications with granular policy based on who the user is and the end point used for access, and then connecting authorized employees and business partners effortlessly from a broad range of cross-platform devices only to authorized resources.						
Key Features	<p>Detect what is running on the end point device.</p> <ul style="list-style-type: none"> End Point Control provides interrogation of managed and non-managed devices prior to connecting and on a recurring schedule in order to detect the identity of the device and determine the overall trust level Cache Control purges browser cache, session history, cookies and passwords Secure Desktop offers advanced data protection technology that creates a virtual encrypted environment that prevents sensitive data from being left behind 		<p>Protect applications with granular access control based on user identity and device integrity.</p> <ul style="list-style-type: none"> Policy Zones provide administrators with the ability to easily create allow, deny and quarantine zones that govern access for all users and devices based on device identity and device integrity Unified Policy is the enforcement engine for protecting corporate resources, consolidating control of all Web resources, file shares and client/server resources in a single location, ensuring users only access authorized applications Secure Virtual Assist allows for remote help desk and troubleshooting functions to be supported directly from the SonicWALL Aventail appliance. Administrators can set up a "Request Assistance" button on WorkPlace, where users can request help from the organization's help desk and then the help desk can then request control of the user's device for troubleshooting purposes. 		<p>Connect users easily and securely to applications across all device types.</p> <ul style="list-style-type: none"> WorkPlace Portal provides users with a personalized and policy-driven Web portal providing easy access to Web and client/server applications from virtually any device or location Smart Access dynamically determines and deploys the appropriate access methods and end point interrogation within the WorkPlace portal based on the type of device used as well as user-level permissions Connect Tunnel provides the same end point control and access control options as the WorkPlace portal, with the only difference being that the user instead launches an agent directly from their device versus launching a portal Connect Mobile provides secure access to client/server and Web based applications from Windows Mobile PDAs and Smartphones 		
Appliance Models	 <p>SonicWALL Aventail SRA EX6000</p>		 <p>SonicWALL Aventail SRA EX7000</p>		 <p>SonicWALL Aventail SRA EX9000</p>		 <p>Virtual Appliance</p>
Step 1: Select Appliance	01-SSC-9601		01-SSC-9602		01-SSC-9574		01-SSC-8468
Step 2: Select User Count	<p>Concurrent User Count</p> <p>01-SSC-9618 (250 User)</p> <p>01-SSC-9616 (100 User)</p> <p>01-SSC-9614 (50 User)</p> <p>01-SSC-9612 (25 User)</p>	<p>High Availability (HA) Concurrent User Count</p> <p>01-SSC-9619 (250 User HA)</p> <p>01-SSC-9617 (100 User HA)</p> <p>01-SSC-9613 (25 User HA)</p>	<p>Concurrent User Count</p> <p>01-SSC-8470 (5000 User)</p> <p>01-SSC-9651 (2000 User)</p> <p>01-SSC-9649 (1000 User)</p> <p>01-SSC-9647 (500 User)</p> <p>01-SSC-9618 (250 User)</p> <p>01-SSC-9616 (100 User)</p>	<p>High Availability (HA) Concurrent User Count</p> <p>01-SSC-8471 (5000 User HA)</p> <p>01-SSC-9652 (2000 User HA)</p> <p>01-SSC-9650 (1000 User HA)</p> <p>01-SSC-9648 (500 User HA)</p> <p>01-SSC-9619 (250 User HA)</p> <p>01-SSC-9617 (100 User HA)</p>	<p>Concurrent User Count</p> <p>01-SSC-9948 (20000 User)</p> <p>01-SSC-9946 (15000 User)</p> <p>01-SSC-9944 (12500 User)</p> <p>01-SSC-9942 (10000 User)</p> <p>01-SSC-9940 (7500 User)</p> <p>01-SSC-8470 (5000 User)</p>	<p>High Availability (HA) Concurrent User Count</p> <p>01-SSC-9949 (20000 User HA)</p> <p>01-SSC-9947 (15000 User HA)</p> <p>01-SSC-9945 (12500 User HA)</p> <p>01-SSC-9943 (10000 User HA)</p> <p>01-SSC-9941 (7500 User HA)</p> <p>01-SSC-8471 (5000 User HA)</p>	<p>Virtual Appliance Concurrent User Count</p> <p>01-SSC-9118 (250 User)</p> <p>01-SSC-9116 (100 User)</p> <p>01-SSC-9614 (50 User)</p> <p>01-SSC-9612 (25 User)</p> <p>01-SSC-9611 (10 User)</p> <p>01-SSC-9610 (5 User Lab)</p>
Step 3: Select Support	<p>1 Year E-Class Support 24x7 For 2 & 3 year options, contact SonicWALL)</p> <p>01-SSC-7846 (250 User)</p> <p>01-SSC-7832 (100 User)</p> <p>01-SSC-7811 (50 User)</p>		<p>1 Year E-Class Support 24x7 (For 2 & 3 year options, contact SonicWALL)</p> <p>01-SSC-8168 (2000 User)</p> <p>01-SSC-8147 (1000 User)</p> <p>01-SSC-8112 (500 User)</p> <p>01-SSC-8070 (250 User)</p>		<p>1 Year E-Class Support 24x7 (For 2 & 3 year options, contact SonicWALL)</p> <p>01-SSC-9984 (20000 User)</p> <p>01-SSC-9987 (15000 User)</p> <p>01-SSC-9990 (12500 User)</p> <p>01-SSC-9993 (10000 User)</p>		<p>1 Year E-Class Support 24x7 (For 2 & 3 year options, contact SonicWALL)</p> <p>01-SSC-9996 (7500 User)</p> <p>01-SSC-9999 (5000 User)</p> <p>01-SSC-9715 (2000 User)</p> <p>01-SSC-9718 (1000 User)</p> <p>01-SSC-9108 (250 User)</p> <p>01-SSC-9111 (100 User)</p> <p>01-SSC-9114 (50 User)</p> <p>01-SSC-9117 (25 User)</p> <p>01-SSC-9120 (10 User)</p> <p>01-SSC-9123 (5 User Lab)</p>
Step 4: Select Add-On Features (Optional)	<p>Native Access Modules provides native protocol access to Citrix applications and Windows Terminal Services sessions.</p> <ul style="list-style-type: none"> SRA EX7000: Included SRA EX6000: 01-SSC-9622 SRA Virtual Appliance: 01-SSC-9622 		<p>Advanced End Point Control provides advanced end point control to the SonicWALL Aventail SRA appliances, including the Advanced Interrogator and the Secure Desktop features.</p> <ul style="list-style-type: none"> SRA EX7000: Included SRA EX6000: 01-SSC-9620 SRA Virtual Appliance: 01-SSC-9620 		<p>Connect Mobile provides remote access for Windows Mobile smart phone and PDA users, with "in-office" access optimized for the device.</p> <ul style="list-style-type: none"> SRA EX7000: Included SRA EX6000: 01-SSC-9621 SRA Virtual Appliance: 01-SSC-9621 		
	<p>Advanced Reporting delivers a robust hierarchical log analysis tool that enables organizations to track and evaluate all remote user access to enterprise resources over a SonicWALL Aventail SSL VPN.</p> <ul style="list-style-type: none"> SRA EX7000: 01-SSC-8227 SRA EX6000: 01-SSC-8227 SRA Virtual Appliance: 01-SSC-8227 		<p>Spike Licenses allows for the immediate increase of the remote user count in the event of a business disruption.</p> <ul style="list-style-type: none"> SRA EX7000: Contact SonicWALL SRA EX6000: Contact SonicWALL SRA Virtual Appliance: Not Available 		<p>Secure Virtual Assist is a remote support tool that enables a technician to assume control of a customer's PC or laptop for the purpose of providing remote technical assistance.</p> <ul style="list-style-type: none"> Up to 10 Concurrent Technicians: 01-SSC-8464 Up to 25 Concurrent Technicians: 01-SSC-8465 Up to 50 Concurrent Technicians: 01-SSC-8466 Up to 100 Concurrent Technicians: 01-SSC-8467 		



SSL VPN for the SMB




Product	SRA 1200	SRA 4200	SRA Virtual Appliance
Part Numbers	01-SSC-6063 (SRA 1200 5 Users) 01-SSC-6068 (SRA 1200 Add 5 Users) 01-SSC-6069 (SRA 1200 Add 10 Users)	01-SSC-5998 (SRA 4200 25 Users) 01-SSC-5999 (SRA 4200 Add 10 Users) 01-SSC-6005 (SRA 4200 Add 25 Users) 01-SSC-6012 (SRA 4200 Add 100 Users)	01-SSC-8469 (SRA Virtual Appliance 5 Users) 01-SSC-9182 (SRA Virtual Appliance Add 5 Users) 01-SSC-9183 (SRA Virtual Appliance Add 10 Users) 01-SSC-9184 (SRA Virtual Appliance Add 25 Users)
Market Positioning and Specific Features	<p>The SonicWALL SRA 1200 (up to 50 concurrent users) provides small enterprises with a simple, affordable secure and clientless remote network and application access solution for remote and mobile employees. Users can easily and securely access email, files, intranets, remote desktops; Citrix (ICA) based applications and other resources on the corporate LAN from any location through a standard Web browser. Includes:</p> <ul style="list-style-type: none"> Seamless integration behind virtually any firewall NetExtender technology on Windows, Mac, Linux, Windows Mobile and Google Android operating systems provides advanced remote access capabilities Granular policy configuration controls Personalized portal experience with context-sensitive help Tokenless two-factor authentication Remote support capability using SonicWALL® Virtual Assist NetExtender/Mobile Connect on Windows Mobile, Google Android and Apple iOS provide layer-3 access to entire intranet Basic IPv6 support in anticipation of the new standard Application offloading to secure access to Web applications Layer-7 Load Balancing End Point Control (EPC) for Windows devices 	<p>The SonicWALL SRA 4200 (up to 500 concurrent users) provides mid-size enterprises with a simple, affordable secure and clientless remote network and application access solution for remote and mobile employees. Users can easily and securely access email, files, intranets, remote desktops; Citrix (ICA) based applications and other resources on the corporate LAN from any location through a standard Web browser. Includes:</p> <ul style="list-style-type: none"> Seamless integration behind virtually any firewall NetExtender technology on Windows, Mac, Linux, Windows Mobile and Google Android operating systems provides advanced remote access capabilities Granular policy configuration controls Personalized portal experience with context-sensitive help Tokenless two-factor authentication Remote support capability using SonicWALL® Virtual Assist NetExtender/Mobile Connect on Windows Mobile, Google Android and Apple iOS provide layer-3 access to entire intranet Basic IPv6 support in anticipation of the new standard Application offloading to secure access to Web applications Layer-7 Load Balancing Active/Passive High Availability End Point Control (EPC) for Windows devices 	<p>The SonicWALL SRA Virtual Appliance (up to 50 concurrent users) provides small-to-medium enterprises with a simple, affordable secure and clientless remote network and application access solution for remote and mobile employees. Users can easily and securely access email, files, intranets, remote desktops; Citrix (ICA) based applications and other resources on the corporate LAN from any location through a standard Web browser.</p> <ul style="list-style-type: none"> * Available for VMware ESX and ESXi (version 4.0 and greater) * Needs 2GB of memory and 2GB of hard disk space <p>Includes:</p> <ul style="list-style-type: none"> Seamless integration behind virtually any firewall NetExtender technology on Windows, Mac, Linux, Windows Mobile and Google Android operating systems provides advanced remote access capabilities Granular policy configuration controls Personalized portal experience with context-sensitive help Tokenless two-factor authentication Remote support capability using SonicWALL® Virtual Assist NetExtender/Mobile Connect on Windows Mobile, Google Android and Apple iOS provide layer-3 access to entire intranet Basic IPv6 support in anticipation of the new standard Application offloading to secure access to Web applications Layer-7 Load Balancing End Point Control (EPC) for Windows devices
Add-On Features (Optional)	<p>Secure Virtual Assist is a remote support tool that enables a technician to assume control of a customer's Windows, Mac or Linux-based PC or laptop for the purpose of providing remote technical assistance. With the customer's permission, the technician can gain instant access to a computer using a Web browser, making it easy to diagnose and fix a problem remotely without the need for a pre-installed "fat" client.</p>	<p>Secure Virtual Access is a remote PC control tool that enables authorized end users to gain secure remote access to their unattended Windows-based computers from anywhere.</p> <p>Secure Virtual Meeting is a collaboration tool that allows multiple participants to collaborate securely. Apart from host screen sharing, there is also the ability to participate in text chat and polling (voting) sessions.</p>	<p>Secure Virtual Assist/Virtual Access/Virtual Meeting</p> <ul style="list-style-type: none"> Up To 1 Concurrent Technician: 01-SSC-5967 Up To 5 Concurrent Technicians: 01-SSC-5974 Up To 10 Concurrent Technicians: 01-SSC-5971 Up To 25 Concurrent Technicians: 01-SSC-5972 SRA 4200 Bundle - Virtual Assist, 24x7 (2 Yrs) and 25 Users: (01-SSC-9284) SRA 4200 Bundle - Virtual Assist, 24x7 (3 Yrs) and 25 Users: (01-SSC-9285)
	<p>Web Application Firewall (WAF) Service applies reverse proxy analysis of Layer 7 traffic against known signatures, denies access upon detecting Web application malware, and redirects users to an explanatory error page. SonicWALL WAF detects attacks such as Cross-Site Scripting (CSS), SQL Injection, Cross-Site Request Forgery (CSRF) and cookie tampering, to help attain PCI compliance. By preventing theft of credit card and SSN information, SonicWALL WAF can achieve Data Leak Protection (DLP). WAF custom rule chains provide the extra flexibility to follow positive or negative security model to detect custom pattern in HTTP(S) traffic. In addition to custom rules, Application Profiling can help monitor web traffic to build a dynamic model of protected applications and help suggest custom rules based on the same.</p>		<ul style="list-style-type: none"> SRA 1200 Add-On Web Application Firewall (1 Year): 01-SSC-8877* SRA 4200 Add-On Web Application Firewall (1 Year): 01-SSC-6055* SRA Virtual Appliance Add-On Web Application Firewall (1 Year): 01-SSC-9185* SRA 4200 Bundle - WAF (2 Yrs), 24x7 (2 Yrs) and 25 Users: (01-SSC-9282) SRA 4200 Bundle - WAF (3 Yrs), 24x7 (3 Yrs) and 25 Users: (01-SSC-9283) <p>*2-Year and 3-Year SKUs available on price list</p>
	<p>SonicWALL Spike Licenses allow for the immediate increase of the remote user count in the event of a business disruption such as an earthquake or snowstorm.</p>		<ul style="list-style-type: none"> SRA Virtual Appliance 10 day 50 User Spike: 01-SSC-9175 SRA 1200 10 day 50 User Spike: 01-SSC-9176 SRA 4200 10 day 250 User Spike: 01-SSC-9177 SRA 4200 10 day 500 User Spike: 01-SSC-9178
	<p>SonicWALL Analyzer provides reporting on remote user access activity on SRA devices. Analyzer also reports on activity on SonicWALL firewalls, backup and recovery, and Aventail devices.</p>		<ul style="list-style-type: none"> For SRA 1200, SRA Virtual Appliance, SSL-VPN 200: 01-SSC-3387 For SRA 4200, SSL-VPN 2000, SSL-VPN 4000: 01-SSC-3388

Security solutions

Email Security - In 3 Easy Steps:

Step 1: Appliance or Software	Step 2: Add Email Protection	Step 3: Add Optional Protection																																																																																						
<p>Software Platform SonicWALL Email Security Software is for the organizations that desire an email security solution to run on their existing Windows 2003 or 2008 Server system.</p>  <p>Software – 01-SSC-6636 System Requirements – OS: Windows Server 2003 Server or 2008 Server; CPU: 2.66 GHz min.; RAM: 2 GB recommended; Hard Drive: 40 GB free space min.</p> <hr/> <p>Virtual Appliance Platform – 01-SSC-7636 For organizations that desire an email security solution to run in a VMware environment. System Requirements: VMware ESXi™ and ESX™ (version 4.0 and newer); Allocated Memory 2 GB; Appliance Disk Size 80 GB.</p> <hr/> <p>Appliance Platforms SonicWALL Email Security Appliances come with the SonicWALL Email Security software pre-installed.</p> <p>New Appliance Models Model ESA 3300 – 01-SSC-6607 2 GB RAM, 250 GB hard drive, Intel 2.0 GHz CPU Model ESA 4300 – 01-SSC-6608 4 GB RAM, 2x 250 GB hard drive (RAID-1), Intel Dualcore 2.13 GHz CPU Model ESA ES8300 – 01-SSC-6609 4 GB RAM, 4x750 GB HDD (RAID-5), Quadcore 2 GHz CPU</p>  <p>More Appliance Models Model ESA 300 – 01-SSC-6601 1 GB RAM, 80 GB hard drive, 2.66 GHz CPU Model ESA 500 – 01-SSC-6603 1 GB RAM, 2x80 GB HD (RAID-1), 2.66 GHz CPU Model ESA ES6000 – 01-SSC-6604 2 GB RAM, 2x160 GB HD (RAID-1), 3.2 GHz CPU</p>	<p>This required subscription activates features in the SonicWALL Email Security (SES) system, Appliance or Software, for up to the number of users purchased. This subscription comes with either 8x5 or 24x7 Dynamic Support services.</p> <div style="border: 1px solid black; padding: 5px; margin-top: 10px;"> <p>Features SonicWALL Email Protection subscription with Dynamic Support (8x5 or 24x7) provides threat protection for SonicWALL Email Security Software or Appliances. Includes:</p> <ul style="list-style-type: none"> Anti-Spam, Anti-Phishing & Anti-Virus automatic updates from the SonicWALL GRID Network Software and firmware updates Phone-based support (8x5 or 24x7), Web-based support anytime RMA for the appliance - One (1) year warranty for repair or replacement of any defective product due to manufacturer's defects </div> <div style="border: 1px solid black; padding: 5px; margin-top: 10px;"> <table style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">User Packs</th> <th style="text-align: center;">8 x 5 Support</th> <th style="text-align: center;">24 x 7 Support</th> </tr> </thead> <tbody> <tr><td>25 user pack</td><td style="text-align: center;">01-SSC-6659</td><td style="text-align: center;">01-SSC-6669</td></tr> <tr><td>50 user pack</td><td style="text-align: center;">01-SSC-6660</td><td style="text-align: center;">01-SSC-6670</td></tr> <tr><td>100 user pack</td><td style="text-align: center;">01-SSC-6666</td><td style="text-align: center;">01-SSC-6676</td></tr> <tr><td>250 user pack</td><td style="text-align: center;">01-SSC-6661</td><td style="text-align: center;">01-SSC-6671</td></tr> <tr><td>500 user pack</td><td style="text-align: center;">01-SSC-6667</td><td style="text-align: center;">01-SSC-6677</td></tr> <tr><td>750 user pack</td><td style="text-align: center;">01-SSC-6662</td><td style="text-align: center;">01-SSC-6672</td></tr> <tr><td>1,000 user pack</td><td style="text-align: center;">01-SSC-6668</td><td style="text-align: center;">01-SSC-6678</td></tr> <tr><td>2,000 user pack</td><td style="text-align: center;">01-SSC-6663</td><td style="text-align: center;">01-SSC-6673</td></tr> <tr><td>5,000 user pack</td><td style="text-align: center;">01-SSC-6664</td><td style="text-align: center;">01-SSC-6674</td></tr> <tr><td>10,000 user pack</td><td style="text-align: center;">01-SSC-6716</td><td style="text-align: center;">01-SSC-6730</td></tr> </tbody> </table> <p style="margin-top: 10px;">User Packs can be quantity stacked to obtain the desired number of users for a given subscription, e.g. 75 users = 50 user pack + 25 user pack.</p> </div>	User Packs	8 x 5 Support	24 x 7 Support	25 user pack	01-SSC-6659	01-SSC-6669	50 user pack	01-SSC-6660	01-SSC-6670	100 user pack	01-SSC-6666	01-SSC-6676	250 user pack	01-SSC-6661	01-SSC-6671	500 user pack	01-SSC-6667	01-SSC-6677	750 user pack	01-SSC-6662	01-SSC-6672	1,000 user pack	01-SSC-6668	01-SSC-6678	2,000 user pack	01-SSC-6663	01-SSC-6673	5,000 user pack	01-SSC-6664	01-SSC-6674	10,000 user pack	01-SSC-6716	01-SSC-6730	<p>There are three optional subscriptions which can be added to SonicWALL Email Security systems. The number of users must be the same as the Email Protection subscription.</p> <div style="border: 1px solid black; padding: 5px; margin-top: 10px;"> <p>Email Compliance Subscription Includes: Compliance Dictionaries, Attachment Scanning, Approval Boxes, Record ID matching, Archiving, Encryption and compliance reports</p> <table style="width:100%; border-collapse: collapse;"> <tbody> <tr><td style="text-align: right;">25 user pack</td><td style="text-align: left;">01-SSC-6639</td></tr> <tr><td style="text-align: right;">50 user pack</td><td style="text-align: left;">01-SSC-6640</td></tr> <tr><td style="text-align: right;">100 user pack</td><td style="text-align: left;">01-SSC-6646</td></tr> <tr><td style="text-align: right;">250 user pack</td><td style="text-align: left;">01-SSC-6641</td></tr> <tr><td style="text-align: right;">500 user pack</td><td style="text-align: left;">01-SSC-6627</td></tr> <tr><td style="text-align: right;">750 user pack</td><td style="text-align: left;">01-SSC-6642</td></tr> <tr><td style="text-align: right;">1,000 user pack</td><td style="text-align: left;">01-SSC-6648</td></tr> <tr><td style="text-align: right;">2,000 user pack</td><td style="text-align: left;">01-SSC-6643</td></tr> <tr><td style="text-align: right;">5,000 user pack</td><td style="text-align: left;">01-SSC-6644</td></tr> <tr><td style="text-align: right;">10,000 user pack</td><td style="text-align: left;">01-SSC-6735</td></tr> </tbody> </table> </div> <div style="border: 1px solid black; padding: 5px; margin-top: 10px;"> <p>Anti-Virus Subscriptions Includes: McAfee and/or Kaspersky signature updates, SonicWALL Time-Zero Anti-Virus and Zombie detection</p> <table style="width:100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th style="text-align: center;">McAfee</th> <th style="text-align: center;">Kaspersky</th> </tr> </thead> <tbody> <tr><td style="text-align: right;">25 user pack</td><td style="text-align: left;">01-SSC-6759</td><td style="text-align: left;">01-SSC-6769</td></tr> <tr><td style="text-align: right;">50 user pack</td><td style="text-align: left;">01-SSC-6760</td><td style="text-align: left;">01-SSC-6770</td></tr> <tr><td style="text-align: right;">100 user pack</td><td style="text-align: left;">01-SSC-6766</td><td style="text-align: left;">01-SSC-6776</td></tr> <tr><td style="text-align: right;">250 user pack</td><td style="text-align: left;">01-SSC-6761</td><td style="text-align: left;">01-SSC-6771</td></tr> <tr><td style="text-align: right;">500 user pack</td><td style="text-align: left;">01-SSC-6767</td><td style="text-align: left;">01-SSC-6777</td></tr> <tr><td style="text-align: right;">750 user pack</td><td style="text-align: left;">01-SSC-6762</td><td style="text-align: left;">01-SSC-6772</td></tr> <tr><td style="text-align: right;">1,000 user pack</td><td style="text-align: left;">01-SSC-6768</td><td style="text-align: left;">01-SSC-6778</td></tr> <tr><td style="text-align: right;">2,000 user pack</td><td style="text-align: left;">01-SSC-6763</td><td style="text-align: left;">01-SSC-6773</td></tr> <tr><td style="text-align: right;">5,000 user pack</td><td style="text-align: left;">01-SSC-6764</td><td style="text-align: left;">01-SSC-6774</td></tr> <tr><td style="text-align: right;">10,000 user pack</td><td style="text-align: left;">01-SSC-7562</td><td style="text-align: left;">01-SSC-7565</td></tr> </tbody> </table> </div>	25 user pack	01-SSC-6639	50 user pack	01-SSC-6640	100 user pack	01-SSC-6646	250 user pack	01-SSC-6641	500 user pack	01-SSC-6627	750 user pack	01-SSC-6642	1,000 user pack	01-SSC-6648	2,000 user pack	01-SSC-6643	5,000 user pack	01-SSC-6644	10,000 user pack	01-SSC-6735		McAfee	Kaspersky	25 user pack	01-SSC-6759	01-SSC-6769	50 user pack	01-SSC-6760	01-SSC-6770	100 user pack	01-SSC-6766	01-SSC-6776	250 user pack	01-SSC-6761	01-SSC-6771	500 user pack	01-SSC-6767	01-SSC-6777	750 user pack	01-SSC-6762	01-SSC-6772	1,000 user pack	01-SSC-6768	01-SSC-6778	2,000 user pack	01-SSC-6763	01-SSC-6773	5,000 user pack	01-SSC-6764	01-SSC-6774	10,000 user pack	01-SSC-7562	01-SSC-7565
User Packs	8 x 5 Support	24 x 7 Support																																																																																						
25 user pack	01-SSC-6659	01-SSC-6669																																																																																						
50 user pack	01-SSC-6660	01-SSC-6670																																																																																						
100 user pack	01-SSC-6666	01-SSC-6676																																																																																						
250 user pack	01-SSC-6661	01-SSC-6671																																																																																						
500 user pack	01-SSC-6667	01-SSC-6677																																																																																						
750 user pack	01-SSC-6662	01-SSC-6672																																																																																						
1,000 user pack	01-SSC-6668	01-SSC-6678																																																																																						
2,000 user pack	01-SSC-6663	01-SSC-6673																																																																																						
5,000 user pack	01-SSC-6664	01-SSC-6674																																																																																						
10,000 user pack	01-SSC-6716	01-SSC-6730																																																																																						
25 user pack	01-SSC-6639																																																																																							
50 user pack	01-SSC-6640																																																																																							
100 user pack	01-SSC-6646																																																																																							
250 user pack	01-SSC-6641																																																																																							
500 user pack	01-SSC-6627																																																																																							
750 user pack	01-SSC-6642																																																																																							
1,000 user pack	01-SSC-6648																																																																																							
2,000 user pack	01-SSC-6643																																																																																							
5,000 user pack	01-SSC-6644																																																																																							
10,000 user pack	01-SSC-6735																																																																																							
	McAfee	Kaspersky																																																																																						
25 user pack	01-SSC-6759	01-SSC-6769																																																																																						
50 user pack	01-SSC-6760	01-SSC-6770																																																																																						
100 user pack	01-SSC-6766	01-SSC-6776																																																																																						
250 user pack	01-SSC-6761	01-SSC-6771																																																																																						
500 user pack	01-SSC-6767	01-SSC-6777																																																																																						
750 user pack	01-SSC-6762	01-SSC-6772																																																																																						
1,000 user pack	01-SSC-6768	01-SSC-6778																																																																																						
2,000 user pack	01-SSC-6763	01-SSC-6773																																																																																						
5,000 user pack	01-SSC-6764	01-SSC-6774																																																																																						
10,000 user pack	01-SSC-7562	01-SSC-7565																																																																																						

SonicWALL Email Security for Microsoft Windows Small Business Server (SES for SBS)

Product		Part Numbers	Description
SES for SBS		SES for SBS - 1 Server + 25 User (1 Yr) 01-SSC-7600 SES for SBS - Renewal/Upgrade - 25 User (1 Yr) 01-SSC-7610	SonicWALL Email Security for Microsoft Small Business Server (SES for SBS) provides award-winning email protection for both inbound and outbound email. SES for SBS is specifically designed to install directly on the SBS hardware server and stops over 98% of spam.

Security solutions

CDP Series



Product	CDP 210	CDP 220	CDP 5040B	CDP 6080B
Part Numbers	01-SSC-9309	01-SSC-9315	01-SSC-9316	01-SSC-9317
Market Positioning and Specific Features	<p>The SonicWALL® Continuous Data Protection (CDP) 210 is designed to be used in small, remote or branch offices for multiple workstation and server backup and provides a usable capacity of up to 1.7 TB (at a standard 2:1 compression ratio). Powered by SonicWALL's next-generation CDP 6.0 firmware, it delivers the comprehensive data protection organizations demand and the power administrators need for vigilant data backup and disaster recovery. With granular, globally enforced policy controls over the entire backup operation, business-relevant data assets are automatically preserved and protected against loss from file, device, and location based disasters. A sophisticated new fileset backup methodology combined with agent-based data de-duplication speeds the backup process and optimizes bandwidth usage while maintaining total information continuity and the ability to flexibly restore multiple revisions across Windows®, Linux® and Mac OS® platforms.</p>	<p>The SonicWALL® Continuous Data Protection (CDP) 220 is designed to be used in small, remote or branch offices and distributed environments for multiple workstation and server backup and provides a usable capacity of up to 3.4 TB (at a standard 2:1 compression ratio). Powered by SonicWALL's next-generation CDP 6.0 firmware, it delivers the comprehensive data protection organizations demand and the power administrators need for vigilant data backup and disaster recovery. With granular, globally enforced policy controls over the entire backup operation, business-relevant data assets are automatically preserved and protected against loss from file, device, and location based disasters. A sophisticated new fileset backup methodology combined with agent-based data de-duplication speeds the backup process and optimizes bandwidth usage while maintaining total information continuity and the ability to flexibly restore multiple revisions across Windows®, Linux® and Mac OS® platforms.</p>	<p>SonicWALL® Continuous Data Protection (CDP) 5040B is ideal for small and medium sized organizations demanding high performance and capacity. Scalable up to 10 TB (at a standard 2:1 compression ratio), the CDP 5040B can be deployed as an upstream unit in a site-to-site data backup environment or provide local backup for multiple workstation and server applications. Powered by SonicWALL's next-generation CDP 6.0 firmware, it delivers the comprehensive data protection organizations demand and the power administrators need for vigilant data backup and disaster recovery. With granular, globally enforced policy controls over the entire backup operation, business-relevant data assets are automatically preserved and protected against loss from file, device, and location based disasters. A sophisticated new fileset backup methodology combined with agent-based data de-duplication speeds the backup process and optimizes bandwidth usage while maintaining total information continuity and the ability to flexibly restore multiple revisions across Windows®, Linux® and Mac OS® platforms.</p>	<p>SonicWALL® Continuous Data Protection (CDP) 6080B is ideal for medium sized organizations demanding high performance and capacity. Scalable up to 20 TB (at a standard 2:1 compression ratio), the CDP 6080B can be deployed as an upstream unit in a site-to-site data backup environment or provide local backup for multiple workstation and server applications. Powered by SonicWALL's next-generation CDP 6.0 firmware, it delivers the comprehensive data protection organizations demand and the power administrators need for vigilant data backup and disaster recovery. With granular, globally enforced policy controls over the entire backup operation, business-relevant data assets are automatically preserved and protected against loss from file, device, and location based disasters. A sophisticated new fileset backup methodology combined with agent-based data de-duplication speeds the backup process and optimizes bandwidth usage while maintaining total information continuity and the ability to flexibly restore multiple revisions across Windows®, Linux® and Mac OS® platforms.</p>

Product	Analyzer	CDP Site-to-Site Service	CDP Offsite Service	CDP 6080B 4-Disk Pack Upgrade Kit	CDP Microsoft Applications License	CDP Server/Workstation Licenses
Part Numbers		01-SSC-6480/3	Available in 1-Yr Subscription	01-SSC-9301	01-SSC-9318	01-SSC-9381 Server Agent 01-SSC-9383 Laptop/Desktop Agent
Market Positioning and Specific Features	<p>SonicWALL Analyzer provides reporting on backup activity, capacity utilization and device health of SRA devices. Analyzer also reports on activity on SonicWALL firewalls and secure remote access devices.</p> <p>For CDP 210/1440i</p> <ul style="list-style-type: none"> • 01-SSC-3383 <p>For CDP 220/2440i</p> <ul style="list-style-type: none"> • 01-SSC-3384 <p>For CDP 5040/5040B/3440i</p> <ul style="list-style-type: none"> • 01-SSC-3385 <p>For CDP 6040/6040B/4440i</p> <ul style="list-style-type: none"> • 01-SSC-3386 	<p>SonicWALL CDP Site-to-Site Backup is an offsite backup and recovery solution that securely sends business critical data from one CDP appliance located in a primary site to another CDP appliance located in a secondary site over the Wide Area Network (WAN) or Local Area Network (LAN) for disaster recovery (DR) protection. Only the latest version of data required for DR is securely transmitted and encrypted with AES 256-bit encryption technology during data transmission and data at-rest for maximum security from cyber threats. This feature enables organizations to be fully operational quickly after a disaster event.</p>	<p>The CDP Offsite Service provides an offsite backup and recovery solution that stores the data in a secure data center, enabling enterprises to be up and running quickly after a disaster event. All data is securely transmitted and encrypted with an AES 256-bit encryption key. IT Administrators can recover the data through an easy-to-use interface in the event the CDP unit at the local level is not viable.</p> <p>5GB of Yearly Offsite Storage - 01-SSC-6340 10GB of Yearly Offsite Storage - 01-SSC-6341 25GB of Yearly Offsite Storage - 01-SSC-6344 50GB of Yearly Offsite Storage - 01-SSC-6347 75GB of Yearly Offsite Storage - 01-SSC-6348 100GB of Yearly Offsite Storage - 01-SSC-6349</p>	<p>The SonicWALL CDP 6080B 4-Disk Pack Upgrade Kit consists of 4 additional drives that can be added to the CDP 6080B to bring the total usable capacity up to 20 TB (at a standard 2:1 compression ratio).</p> <p>Once the License Key for this additional SKU is inserted into the system, the additional 10 TB of capacity (at a standard 2:1 compression ratio) becomes available for use.</p>	<p>The CDP Microsoft Applications License can be used for backup and recovery of one supported Microsoft application such as Exchange, SQL, SharePoint, Active Directory or Small Business Server Standard or Premium. This license supports all Microsoft applications that come as a standard configuration for Small Business Server.</p> <p>Example: In a standard configuration, if the appliance enables protection for one Microsoft application, purchase additional quantities of the SKU to increase the number of supported Microsoft applications required for the backup environment. The SKU is stackable up to the maximum number of applications and servers supported per the appliance model.</p>	<p>The CDP Server License can be used for backup and recovery of one supported Windows®, Mac OS® and Linux® File Server. Example: In a standard configuration, If the appliance enables protection for one (1) File Server, purchase additional quantities of the SKU to increase the number of File Servers required for the backup environment.</p> <p>The CDP Workstation License can be used for backup and recovery of 10 supported Windows® and Mac OS® workstations. Example: In a standard configuration If the appliance enables protection for ten (10) workstations, purchase additional quantities of the SKU to increase the number of workstations required for the backup environment.</p>

Security solutions



Product	Recovery Manager for Exchange	Bare Metal Restore/Local Archiving - Server	Bare Metal Restore w/Universal Restore - Enterprise Server	Bare Metal Restore/Local Archiving - Workstation
Part Numbers	01-SSC-9380	01-SSC-6390	01-SSC-6496	01-SSC-6391
Market Positioning and Specific Features	<p>SonicWALL® Recovery Manager for Exchange makes discovering and recovering business-critical Exchange data fast and easy. Recovery Manager saves money by eliminating the need for a dedicated recovery server. It helps save time by performing fast searches based on sender, recipient, date, subject, message keyword or attachment keyword. In addition, it helps save critical data by granularly searching backed-up attachment content, public folders and public folder hierarchies in Exchange and Lotus® Domino.</p> <p>Key Features:</p> <ul style="list-style-type: none"> Multiple data source recovery supports multiple public folders, multiple mailboxes, and PSTs—all from a single interface. Support for third-party backup software enables searching native Microsoft backups and most major third-party backups including CA@ ARCserve, CA BrightStor, EMC® Legato NetWorker, HP® Data Protector, IBM® Tivoli Storage Manager, Microsoft Data Protection Manager, Veritas® Backup Exec, and Veritas NetBackup. 	<p>SonicWALL Bare Metal Recovery/Local Archiving software creates an exact image of an entire server - including the operating system files, programs, databases, and settings, enabling the recovery of an entire system in minutes. Customers can also explore their bare metal archives to recover individual files and folders using Windows' familiar drag-and-drop file copying operation. Moreover, its wizard-driven graphical user interface (GUI) is easy-to-use, making it an ideal application for even novice PC users.</p> <p>Key Features:</p> <ul style="list-style-type: none"> Instant bare-metal recovery and local archiving Restoration of individual files and folders from archived images Easy to use Windows, XP-like wizard interface. Support for SAN, NAS, RAID, CD/DVD, USB, IEEE 1394, SCSI and other backup storage Support for all operating systems, including: Windows 2003 Server, Windows 2000 Advanced Server, Windows 2000 Server, Windows NT4.0 Server SP6 	<p>SonicWALL Universal Restore is an add-on module for SonicWALL Bare Metal Recovery Server Edition software which allows recovery of server system state images to dissimilar physical or virtual hardware regardless of make, model, or installed components. SonicWALL Universal Restore prepares you for even the most unforeseen events so that no matter what type of disaster you're recovering from, so long as you have an image, you can restore it.</p> <p>Key Features:</p> <ul style="list-style-type: none"> Disaster recovery - restore a disk image to either identical or dissimilar hardware Physical and Virtual Server restoration - (Physical to Physical, Physical to Virtual, Virtual to Virtual or Virtual to Physical) Easy-to-use wizard-driven interface Support for BartPE and WinPE pre-installation environments 	<p>SonicWALL Bare Metal Recovery/Local Archiving software creates an exact image of an entire system - including the operating system, applications and all user data, or an individual disk partition, enabling the recovery of an entire system in minutes. Customers can also explore their bare metal archives to recover individual files and folders using Windows' familiar drag-and-drop file copying operation. Moreover, its wizard-driven graphical user interface (GUI) is easy-to-use, making it an ideal application for even novice PC users.</p> <p>Key Features:</p> <ul style="list-style-type: none"> Instant bare-metal recovery and local archiving Restoration of individual files and folders from archives images Easy-to-use Windows, XP-like wizard interface. Support for SAN, NAS, RAID, CD/DVD, USB, IEEE1394, SCSI and other backup storage Support for workstation operating systems: Win98, 2000 Professional, ME, XP, NT4.0 workstation SP6

Product	Scrutinizer with Flow Analytics Module											
Part Numbers	5 Nodes: 01-SSC-4002 25 Nodes: 01-SSC-4003 50 Nodes: 01-SSC-0335	100 Nodes: 01-SSC-0336 150 Nodes: 01-SSC-0337 Unrestricted Nodes: 01-SSC-4004										
Market Positioning and Specific Features	<p>SonicWALL Scrutinizer is an application traffic flow analytics visualization solution that can measure performance and troubleshoot network outages and slowdowns. Scrutinizer provides application traffic flow analysis and granular reporting for one or more SonicWALL firewalls, in addition to 3rd party routers and switches from compatible cross-industry vendors providing organizations with increased value and the flexibility of an all-in-one tool to monitor network utilization and visualize application traffic flows across their entire network. Unlike application traffic flow analysis tools available from other vendors, Scrutinizer offers granular, flexible and powerful insight into application traffic flow and is compatible with SonicWALL's Next-Generation Firewall exports of IPFIX with extensions data, an industry first! Scrutinizer is also useful to service providers for reducing troubleshooting time, proactively monitoring customer Quality of Service (QoS), and generating invoicing data and Service Level Agreement (SLA) metrics reports. Includes:</p> <ul style="list-style-type: none"> Granular Analytics and Reporting Advanced Troubleshooting Powerful Visualization tools Third Party Device Support (Routers, Switches, Firewalls, etc.) Customizable Alerting Enhanced Forensics Capabilities 	<table border="1"> <thead> <tr> <th colspan="2">Add-on Modules</th> </tr> </thead> <tbody> <tr> <td> 5 Nodes: 01-SSC-4515 25 Nodes: 01-SSC-4516 50 Nodes: 01-SSC-2899 100 Nodes: 01-SSC-3710 150 Nodes: 01-SSC-3711 Unrestricted Nodes: 01-SSC-4521 </td> <td>Managed Service Provider Module</td> </tr> <tr> <td>01-SSC-4536</td> <td>Cisco Advanced Reporting Module</td> </tr> <tr> <td>01-SSC-4751</td> <td>Citrix Advanced Reporting Module</td> </tr> <tr> <td>01-SSC-4753</td> <td>Cross Check Module</td> </tr> </tbody> </table>	Add-on Modules		5 Nodes: 01-SSC-4515 25 Nodes: 01-SSC-4516 50 Nodes: 01-SSC-2899 100 Nodes: 01-SSC-3710 150 Nodes: 01-SSC-3711 Unrestricted Nodes: 01-SSC-4521	Managed Service Provider Module	01-SSC-4536	Cisco Advanced Reporting Module	01-SSC-4751	Citrix Advanced Reporting Module	01-SSC-4753	Cross Check Module
Add-on Modules												
5 Nodes: 01-SSC-4515 25 Nodes: 01-SSC-4516 50 Nodes: 01-SSC-2899 100 Nodes: 01-SSC-3710 150 Nodes: 01-SSC-3711 Unrestricted Nodes: 01-SSC-4521	Managed Service Provider Module											
01-SSC-4536	Cisco Advanced Reporting Module											
01-SSC-4751	Citrix Advanced Reporting Module											
01-SSC-4753	Cross Check Module											



Security solutions

Universal Management Appliance (UMA)



Product	E-Class UMA EM5000	How to Purchase														
Part Numbers	01-SSC-7665 Includes 10 node GMS Software License and 1-year Hardware Warranty															
Market Positioning and Specific Features	<p>The SonicWALL® E-Class Universal Management Appliance (UMA) EM5000 centralizes policy management, monitoring and reporting for multiple SonicWALL appliances. The EM5000 provides an easier way to configure, enforce and manage policies for SonicWALL firewall, anti-spam, backup and recovery, and secure remote access solutions, enhancing efficiency, availability, and ROI. The EM5000 simplifies and automates multi-level policy management, monitoring, and compliance reporting thereby reducing overhead and freeing resources for new revenue opportunities. The UMA EM5000 is ideal for deployments scaling from a few to thousands of SonicWALL appliances or services, in small-to-mid-enterprise, large enterprise, managed service provider, or IT consulting environments. Includes:</p> <ul style="list-style-type: none"> • Unified policy management • Comprehensive monitoring and automated alerting • Intelligent reporting and activity visualization • Real-time and historic next-generation syslog reporting • Application traffic analytics • Support for SonicWALL firewall, backup and recovery, secure remote access, and Email Security appliances • Centralized logging for deep forensic analysis and remediation • Secure, reliable and optimized hardware architecture • Intuitive management dashboard • Online and offline management capabilities • High-availability services across multiple sites • Web services, SNMP, and CLI based integration options 	<ol style="list-style-type: none"> 1. Purchase appliance 2. Add additional GMS node licenses as needed using the existing GMS software SKUs 3. Add Support <ul style="list-style-type: none"> • Use GMS software support SKUs • Use Comprehensive GMS Support SKUs • Use hardware warranty SKUs <p>Example: 60 Node Deployment</p> <table border="1"> <thead> <tr> <th>SKU</th> <th>Description</th> <th>Comments</th> </tr> </thead> <tbody> <tr> <td>01-SSC-7665 Quantity: 1</td> <td>Universal Management Appliance EM5000 with 10 Node GMS Software License</td> <td>Base Hardware: comes with 10 nodes and includes one year of hardware warranty</td> </tr> <tr> <td>01-SSC-3301 Quantity: 2</td> <td>GMS 25 Node Software Upgrade</td> <td>Increase node license by 50 to a total of 60</td> </tr> <tr> <td>01-SSC-6514 Quantity: 1</td> <td>GMS E-CLASS 24x7 Software Support for 10 Nodes (1 Year)</td> <td rowspan="2">Support SKUs for the 60 software nodes provide support for the entire deployment, including the Appliance</td> </tr> <tr> <td>01-SSC-3334 Quantity: 2</td> <td>GMS E-CLASS 24x7 Software Support for 25 Nodes (1 Year)</td> </tr> </tbody> </table>	SKU	Description	Comments	01-SSC-7665 Quantity: 1	Universal Management Appliance EM5000 with 10 Node GMS Software License	Base Hardware: comes with 10 nodes and includes one year of hardware warranty	01-SSC-3301 Quantity: 2	GMS 25 Node Software Upgrade	Increase node license by 50 to a total of 60	01-SSC-6514 Quantity: 1	GMS E-CLASS 24x7 Software Support for 10 Nodes (1 Year)	Support SKUs for the 60 software nodes provide support for the entire deployment, including the Appliance	01-SSC-3334 Quantity: 2	GMS E-CLASS 24x7 Software Support for 25 Nodes (1 Year)
SKU	Description	Comments														
01-SSC-7665 Quantity: 1	Universal Management Appliance EM5000 with 10 Node GMS Software License	Base Hardware: comes with 10 nodes and includes one year of hardware warranty														
01-SSC-3301 Quantity: 2	GMS 25 Node Software Upgrade	Increase node license by 50 to a total of 60														
01-SSC-6514 Quantity: 1	GMS E-CLASS 24x7 Software Support for 10 Nodes (1 Year)	Support SKUs for the 60 software nodes provide support for the entire deployment, including the Appliance														
01-SSC-3334 Quantity: 2	GMS E-CLASS 24x7 Software Support for 25 Nodes (1 Year)															

SonicWALL Contact Information					
Dell SonicWALL Austria	0820 400105	austria@sonicwall.com	Dell SonicWALL MEA	+ 971 4 609 1753	mea@sonicwall.com
Dell SonicWALL Benelux	+ 32 3 242 88 21	benelux@sonicwall.com	Dell SonicWALL Nordic	+ 46 8 410 717 00	nordic@sonicwall.com
Dell SonicWALL Eastern Europe	+ 48 6025 20009	easterneurope@sonicwall.com	Dell SonicWALL Portugal/Spain	+ 34 653 948 287	spain@sonicwall.com
Dell SonicWALL Germany	+ 49 89 4545 946	germany@sonicwall.com	Dell SonicWALL Switzerland	+ 41 44 810 3135	switzerland@sonicwall.com
Dell SonicWALL France	+ 32 11 300 609	france@sonicwall.com	Dell SonicWALL UK/Ireland	+ 44 1932573900	uk@sonicwall.com
Dell SonicWALL Italy	+ 39 107 407 851	italy@sonicwall.com			
Channel Marketing / Sales Tools:	https://partnerlink.sonicwall.com/ Email: emea_partners@sonicwall.com		Authorized Distributors:	http://www.sonicwall.com/emea/2756.html	

